

INDEX.

- Acanonicus planiventris*, *Hope*, 89.
Acanthagyna furcata, *Ramb.*, 558.
 subinterrupta, *Ramb.*, 545, 558.
Acanthascus cactus, *O. Schmidt*, 246.
Acanthaspis angularis, *Stål*, 114.
 bistillata, *Stål*, 114.
 fuscognira, *Dohrn*, 114.
 helluo, *Stål*, 114.
 pictipes, *Walk.*, 114.
 quinespinosa, *Fabr.*, 114.
 tergemina, *Burm.*, 114.
Acanthocoris anticus, *Walk.*, 92.
 scabrator, *Fabr.*, 92.
Acanthodrilus multiporus, 46.
 Acaridæ to the Arachnida, some Observations on the Relation of the, by H. M. Bernard, 279-291.
 Acarines, 423.
Acarus, *Gray*, 195, 225, 255, 257.
 Wolffgangi, *Keller*, 195.
Acisoma panorpoides, *Ramb.*, 546, 556.
Acocephalus porrectus, *Walk.*, 172.
Acrocrinus, 36.
Actinocrinus, 1, 3.
Actinometra, *Müll.*, 5, 6, 21.
 parvicirra, 68.
 pulchella, footnote 68.
Adeonella polystomella, *Reuss*, 277.
Admetus, *C. Koch*, 529.
Aellopus, 361.
Æschna ceylonica, *Selys*, 557.
 ephippigera, *Burm.*, 558.
 Æschnidæ, 557.
Æschninæ, 558.
Æschrus obscurus, *Dallas*, 82.
Æsopus mactans, *Fabr.*, 80.
Æthus apicalis, *Dallas*, 81.
 badius, *Walk.*, 81.
 ceylonicus, *Mayr*, 80.
 cyrtomenoides, *Dohrn*, 80.
 maurus, *Dallas*, 81.
 minutus, *Motsch.*, 81.
 nigroæneus, *Walk.*, 80.
 oblongus, *Ramb.*, 80.
 omicron, *Walk.*, 81.
Æthus scutellatus, *Dohrn*, 80.
 varians, *Fabr.*, 80, 81.
Agelacrinus, 18, 27, 28, 31, 32, 48, 50.
Agonoscelis nubilis, *Fabr.*, 81.
Agrilus, 327, 336.
 acutipennis, *Mann.*, 327.
 alazon, *Lewis*, 333, 338.
 auriventris, *Saund.*, 338.
 biguttatus, *Fabr.*, 333.
 brevitarsis, *Lewis*, 336, 338.
 cupes, *Lewis*, 336, 338.
 cyaneoniger, *Saund.*, 331, 333, 338.
 —, var. *cupreo-viridis*, *Lewis*, 332, 338.
 discalis, *E. Saund.*, 335, 338.
 fortunatus, *Lewis*, 333, 334, 335, 338.
 gracilipes, *Lewis*, 335, 338.
 imitans, *Lewis*, 332, 338.
 indigaceus, *Dey.*, 332.
 maculifer, *Saund.*, 338.
 marginicollis, *Saund.*, 338.
 mœrens, *Saund.*, 338.
 obtusus, *Horn*, 327.
 8 uniques, 338.
 otiosus, *Say*, 328, 334.
 pilosovittatus, *Saund.*, 338.
 rotundicollis, *Saund.*, 338.
 sospes, *Lewis*, 334, 338.
 spinipennis, *Lewis*, 332, 336, 338.
 subrobustus, *Saund.*, 338.
 tempestivus, *Lewis*, 334, 338.
 tibialis, *Lewis*, 335, 338.
 trinotatus, *Saund.*, 338.
 viridiobscurus, *Saund.*, 338.
Agrionemis pygmæa, *Ramb.*, 564.
 pygmæa, *Selys*, 565.
 velaris, *Selys*, 545, 564.
Agrion aurora, *Brauer*, 564.
 cerinorubellum, *Brauer*, 564.
 coromandelianum, *Fabr.*, 545, 564.
 delicatum, *Hagen*, 545.
 hilare, *Hagen*, 545, 546.
 pygmæum, *Ramb.*, 564.
 senegalensis, *Ramb.*, 564.

- Agrion tenax, *Hagen*, 545, 546.
 velare, *Hagen*, 545, 565.
 (Ischmura) *aurora*, Brauer, 564.
 (*Pyrrhosoma*) *cerinorubellum*,
 Brauer, 564.
 Agrionidæ, 558.
 Agrioninae, 558.
 Agrionoptera simulans, *Selys*, 553.
 Alemnæ angusta, *Stål*, 121.
 Aleyonaria, 356.
 Alectona, *Carter*, 187, 223, 226, 256,
 259.
 Millari, *Carter*, 187.
 (*Corticium*) *Wallichi*, *Carter*, 223.
 Allageerinus, footnote 19.
 Allocystis, *Miller*, footnote 28.
 Allolobophora, 292, 293, 294, 297, 305,
 306, 307, 311.
 arbores, *Eisen*, 296, 302.
 Boeckii, 296.
 celtica, *Rosa*, 294, 298, 301, 304.
 chlorotica, 295, 309.
 complanata, *Dugès*, 315.
 constricta, *Rosa*, 300.
 Eiseni, 301.
 fætida, *Eisen*, 313, 315.
 fætida, *Sav.*, 300.
 Fraissei, *Erley*, 300.
 longa, *Ude*, 294, 311.
 mucosa, *Eisen*, 294, 313.
 profuga, *Rosa*, 308.
 riparia, *Hoffm.*, 313, 315.
 subrubicunda, *Eisen*, 296, 298, 300,
 315.
 trapezoidea, *Dugès*, 315.
 turgida, *Eisen*, 313, 315.
 (*Dendrobæna*) arbores, *Eisen*, 301,
 304, 315.
 (—) Boeckii, *Eisen*, 298, 304,
 315.
 (—) celtica, *Rosa*, 297, 304,
 315.
 (—) constricta, *Rosa*, 300, 304.
 (—) Eiseni, *Levins.*, 302, 304,
 315.
 (—) subrubicunda, *Eisen*, 299,
 304, 315.
 Alloneura casia, *Selys*, 562.
 centralis, *Selys*, 562.
 tenax, *Selys*, 562.
 Allurus, 293.
 amphisbæna, *Dugès*, 313.
 tetraedrus, *Eisen*, 313, 315.
 Alveoporidæ, 353.
 Alycus roseus?, 281, 282.
 Alydus acicularis, *Fabr*, 92.
 clavatus, *Dohrn*, 93.
 major, *Dohrn*, 94.
 ventralis, *Hope*, 94.
 Amblypygi, 404.
 Amœba, 364.
 Amphilectus, *Vosm.*, 192, 196, 197, 198,
 225, 257.
 annectens, *Ridley & Dendy*, 189.
 pilosus, *Ridley & Dendy*, 189,
 197.
 tibiellifer, 197.
 Amphioxus, 46.
 Amphiuira, 35.
 Amygdalocystis, 27, 47, 50.
 Anacropora, 354-358, 360.
 Anatomy of Melongena melongena,
 some Points in the, by J. H. Van-
 stone, 369.
 Anax guttatus, *Burm.*, 558.
 Androcottus, *Karsch*, 376.
 Androctonus biaculeatus, *Lucas*, 386,
 387.
 Anisogomphus Nietneri, *Selys*, 557.
 Anisomelis orientalis, *Dall.*, 92.
 Anomalocystites, 47.
 Anomus mucronicollis, *Motsch.*, 168.
 reticulatus, *Fairm.*, 168.
 tuberculatus, *Motsch.*, 168.
 Antedon, 45, 56.
 abyssicola, 59.
 adeonæ, *Della Chiaje*, 69.
 annulata, *Risso*, 69.
 barbata, *Linck*, 69.
 basicurva, 67.
 bicolor, *Della Chiaje*, 69.
 bifida, *Pennant*, 69.
 carinata, 68.
 celtica, *Barrett*, 53, 54, 55, footnote
 57, 63.
 corallina, *Risso*, 69.
 decaenemos, *Pennant*, 69.
 decameros, *Gray*, 69.
 dentata, *Carp.*, 54, 63.
 Dübener, *Böhlsche*, 68, 69.
 duplex, *P. H. Carp.*, 340.
 Eschrichti, 53, 54, 55, 61, 62,
 footnote 68.
 europæa, *Leach*, 69.
 exigua, 61.
 fimbriata, *Barrelier*, 69.
 fimbriata, *Duj.*, 69.
 fimbriata, *Miller*, 69.
 flexilis, 341.
 gorgonia?, *Fréminville*, 69.
 hystrix, *Carp.*, 54, 57, 63.
 incerta, 339, 340.
 longicirra, *P. H. Carp.*, 339, 340.
 lusitanica, *Carp.*, 64, 65, 66, 340.
 mediterranea, *Lam.*, 69.
 Milleri, *Müller*, 69.
 multispina, 66, 67.
 patula, *P. H. Carp.*, 341.
 pectinata, *Linn.*, 69.
 petasus, *Dübener & Koren*, 69.

- Antedon phalangium, *Carp.*, 54.
 phalangium, *Müller*, 64, 65, 67.
 porrecta, 66.
 prolixa, *Staden*, 53-63, ftnote 68
 quadrata, *Carp.*, 53, 54, 55, 63,
 ftnote 68.
 robusta, 341.
 rosacea, *Linck*, 35, 68, 69.
 Sarsii, *Düben & Koren*, 53, 54, 56,
 59, 63.
 tenella, *Retzius*, 53-63, ftnote 68.
 Wood-Masoni, *Bell*, 340, 341.
- Antestia concinna, *Dall.*, 83.
 punctatissima, *Kirby*, 83.
 quadrimalculata, *Walk.*, 83.
- Anthastra pyriformis, *Sollas*, 234.
- Anthaxia proteus, *Saund.*, 338.
- Anthocoris funebris, *Motsch.*, 103.
 parallelus, *Motsch.*, 103.
 tantillus, *Motsch.*, 103.
- Antiopa pumila, *Stål*, 119.
- Antipatharia, 356, 360.
- Apechtiæ metapyrrha, *Reuter*, 115.
- Aphana sanguinalis, *Westw.*, 133.
- Aphanisticus antennatus, *Saund.*, 338.
 collaris, *Saund.*, 338.
 congener, *Saund.*, 338.
- Aphidæ, 174.
- Aphis coffeæ, *Nietn.*, 174.
- Aphrocallistes, 249, 252, 262.
 Bocagei, *Wright*, 249.
- Aphrophora, 139.
 alni, 160.
 facialis, *Kirby*, 161.
 lineatocollis, *Motsch.*, 161.
- Apicrinus elegans, 9.
- Apiocystis, 5, 7, 9, 12, 14, 18, 21, 26,
 ftnote 28.
 elegans, 8, 9, 10, 12, 13, 30.
 pentremitoides, 9, 10, 30.
- Aplysia, 372.
- Apus, 279, 285.
- Arachnida, Some Observations on the
 Relation of the Acaridæ to the, by
 H. M. Bernard, 279.
- Arachnida and Myriopoda of the Mer-
 gui Archipelago, Supplementary
 Notes on: with Descriptions of some
 New Species from Siam and Malaysia,
 by R. I. Pocock, 316.
- Araneæ, 317.
- Archibasis ceylanica, *Kirby*, 564.
- Arctic Comatulæ, Notes on some, by
 P. Herbert Carpenter, 53.
- Argia atrocyanæ, *Selys*, 563.
- Arinia, 342.
 borneensis, *E. A. Smith*, 350, 352.
 similis, *E. A. Smith*, 350, 352.
- Aristocystis, 27-31, 49, 50.
 Bohemica, 49, 52.
- Arthropod Fauna of the West Indies,
 Contributions to our Knowledge of
 the.—Part I. Scorpiones and Pedi-
 palpi, with a Supplementary Note
 upon the Freshwater Decapoda of St.
 Vincent, by R. I. Pocock, 374; Part
 II. Chilopoda, by R. I. Pocock, 454;
 Part III. Diplopoda and Malaco-
 poda, with a Supplement on the Arachnida
 of the Class Pedipalpi, by R. I. Po-
 cock, 473.
- Ascidia, 431, 432, 442.
 aculeata, 432, 436.
 affinis, *A. & H.*, 440, 453.
 aggregata, *O. F. Müller*, 434.
 albida, *A. & H.*, 435.
 Alderii, *Hanc.*, 437.
 arachnoidea, *Fabr.*, 434.
 aspersa, *O. F. Müller*, 432, 433,
 434, 440.
 canina, *O. F. Müller*, 433, 434.
 compressa, *O. F. Müller*, 434.
 conchilega, *O. F. Müller*, 433, 434.
 corrugata, 433.
 crassa, *Hanc.*, 439, 453.
 depressa, *A. & H.*, 435, 438, 442.
 echinata, *Linn.*, 434.
 elliptica, *A. & H.*, 435.
 elongata, *A. & H.*, 440.
 erecta, 442.
 exigua, 432.
 fusiformis, 431.
 gelatina, 434.
 inornata, *Hanc.*, 439.
 intestinalis, *Linn.*, 434.
 lata, 431.
 lepadiformis, 433.
 mentula, *Hanc.*, 437, 438, 442, 443.
 mentula, *O. F. Müller*, 431-434,
 442, 443.
 mollis, *A. & H.*, 438.
 Normani, *A. & H.*, 440, 441, 453.
 obliqua, *Ald.*, 436.
 orbicularis, *O. F. Müller*, 433,
 434.
 parallelogramma, *O. F. Müller*,
 433, 434.
 Patoni, 432.
 patula, 433.
 pellucida, *A. & H.*, 435.
 plana, *Hanc.*, 437.
 plebeia, *Ald.*, 432, 433, 436, 439.
 producta, *Hanc.*, 438-440, 454.
 prunum, *O. F. Müller*, 433, 434.
 pulchella, 436.
 pustulosa, *O. F. Müller*, 432, 436.
 pyriformis, 434.
 rava, 442.
 robusta, *Hanc.*, 438.
 ruberrima, 442.

- Ascidia rubicunda*, *Hanc.*, 437, 438, 442, 443.
rubrotincta, *Hanc.*, 437, 442.
rudis, 436.
rustica, *Linn.*, 433, 448.
scabra, *O. F. Müller*, 433-435.
sordida, *A. & H.*, 435, 440, 453.
triangularis, 432.
truncata, 432.
tubularis, 434.
venosa, *O. F. Müller*, 432-434.
virginea, *O. F. Müller*, 433, 434, 440.
vitrea, *van Ben.*, 434.
Asciidiella, *Roule*, 432.
aculeata, 441.
aspersa, *O. F. Müller*, 432-436, 440, 441, 453.
mentula, *O. F. Müller*, 436.
obliqua, *Ald.*, 436.
plebeia, *Ald.*, 436.
scabra, *O. F. Müller*, 432-435.
venosa, *O. F. Müller*, 432-434, 438.
virginea, *O. F. Müller*, 432-435, 440, 453.
 Ascidiidæ, 431.
Ascocystis, 24, 25.
Aspongopus janus, *Fabr.*, 88.
nigriventris, *Hope*, 88.
obscurus, *Fabr.*, 88.
siccifolius, *Hope*, 87.
Astacus, 286.
Asterias, 30, 35, 43, 44.
berylina, ftnote 43.
spirabilis, ftnote 43.
vulgaris, ftnote 46.
Asthenosoma, 28.
Astræa, 353.
Astræopora, 353.
 Astropectinidæ, 44.
Atelecrinus, 59.
Atræus De Geerii, *Gerv.*, 386, 387.
Edwardsi, *Gerv.*, 386, 387.
Atya occidentalis, *Newp.*, 408.
Aulascus Johnstoni, 244.
 Avicularinæ, 318.
Axinella, *O. Schmidt*, skeletal spicules of, 187, 192, 195, 225, 256, 257.
erecta, *Carter*, 187.
proliferans, *Ridley*, 190.
spiculifera, *Lam.*, 190.
 Axinellidæ, *Ridley & Dendy*, 225.

Balanites pipetta, *O. Schmidt*, 245.
Balanoglossus, 46.
Bathycelia indica, *Dall.*, 85, 176.
thalassina, *Herr. Schöff.*, 85.
Bathyoncus mirabilis, 445, 446.

 Bell, Prof. T. Jeffrey, On a small Collection of Crinoids from the Sahul Bank, North Australia, 339.
Belostoma indica, *St.-Farg. & Serv.*, 124.
 Bernard, H. M., Notes on the Chernetidæ, with Special Reference to the Vestigial Stigmata and to a new form of Trachea, 410.
 —, On two new Species of *Rhax*, 361.
 —, Some Observations on the Relation of the Acaridæ to the Arachnida, 279.
Bicellaria moluccensis, *Busk*, 273, 278.
Bipinnaria, 46.
Bithynis, ftnote 407.
Boscia dentata, *Milne-Edw.*, 407.
Bothriocidaris, 39-43.
globulus, 40, 42.
Pahleni, *Schmidt*, 39, 40, 42.
Brachistosternus, *Pocock*, 375, 401, 402.
Ehrenbergii, *Gerv.*, 402, 403.
Brachydiplax Gestroi, *Selys*, 551.
indica, *Kirby*, 551.
sobrina, *Ramb.*, 551.
Brachyplatys cingalensis, *Stål*, 79.
silphoides, *Fabr.*, 79.
subænea, *Hope*, 79.
Vahlîi, *Fabr.*, 79.
Brachyrhynchus orientalis, *Lap.*, 110.
Brachys salicis, *Lewis*, 337, 338.
Brachytes bicolor, *Westw.*, 89.
Brachythemis contaminata, *Fabr.*, 546, 551.
Bradinyoga, *Kirby*, 553.
stigmata, *Kirby*, 553, 566.
Branchiostoma celere, *Humb. & Sauss.*, 462.
longipes, *Newp.*, 462.
 Brisinga, 43.
 British Tree- and Earth-worms, Studies of, by Rev. H. Friend, 292.
 Brixia, 139.
subfasciata, *Stål*, 138, 139.
tortriciformis, *Kirby*, 138, 176.
Brixioides, *Kirby*, 139.
carinatus, *Kirby*, 140, 176.
 Brook, G., On the Affinities of the Genus *Madrepora*, 353.
Broteochactas, *Pocock*, 375, 399.
delicatus, *Karsch*, 401.
nitidus, *Pocock*, 399, 401, 409.
 Bryozoa, Observations on the Gland-like Bodies in the, by A. W. Waters, 272.
Bugula plumosa, 273.
 Buprestidæ of Japan, On the, by G. Lewis, 327-338.

- Buprestis japonensis*, *Saund.*, 338.
Lecontei, *Saund.*, 327.
 Butridæ, 376.
- Caberea Boryi*, *Aud.*, 277.
Caliscelis eximia, *Stål.*, 145.
Callidea bengalensis, *Hope*, 75.
 Erichsoni, *Germin.*, 75.
 patricia, 76.
 perplexa, *Hope*, 75.
 Rama, *Kirby*, 76, 175.
 spilogastra, *Walk.*, 76.
 Stockerus, *Linn.*, 75.
 superba, *Dall.*, 76, 77.
 Callipodidæ, 477.
 Callipodoidea, 477.
Callipus, *Risso*, ftnote 477.
Callitettix affinis, *Atk.*, 159.
 capitata, *Stål.*, 159.
Callocystis, 5, 10, 11, 14, 17, 18, ftnote 28, 30, 33.
 Jewetti, 52.
Calopteryx lineata, *Burm.*, 560.
 (*Neurobasis*) *chinensis*, *Linn.*, 545.
 (*Vestalis*) *amæna*, *Hagen*, 546, 559.
 Calycaster, 44.
 Cambalidæ, 481.
 Cambalinæ, *Bollman*, 481.
Camptopus linearis, *Fabr.*, 93.
 ventralis, *Hope*, 94.
Cantao ocellatus, *Thunb.*, 74.
Canthecona furcillata, *Wolff*, 80.
 insularis, *Kirby*, 79, 175.
Canthesancus Falleni, *Stål.*, 118.
 helluo, *Stål.*, 118.
 trimaculatus, *Amyot & Serv.*, 118.
 Capsidæ, 105.
Capsus albipes, *Motsch.*, 106.
 antennatus, *Kirby*, 107.
 incisuratus, *Walk.*, 106.
 lankanus, *Kirby*, 107.
 lineifer, *Walk.*, 107.
 Rama, *Kirby*, 106.
 Ravana, *Kirby*, 106, 175.
 semiclusus, *Walk.*, 105.
 subirroratus, *Walk.*, 105.
Caridina americana, *Guér.*, 408.
 Carpenter, P. Herbert, Notes on some Arctic Omatulæ, 53.
 —, Notes on some Crinoids from the Neighbourhood of Madeira, 64.
 —, On certain Points in the Morphology of the Cystidea, 1.
Caryocrinus, 2-5, 13, 14, 17-32, 36, 50, 51.
 Indianensis, 51.
 ornatus, 22, 51, 52.
- Caryocystis*, ftnote 28, 31, 32, 47, 50.
 alutacea, *Angelin*, 4.
 granatum, *von Buch*, 4.
 prominens, *Angelin*, 4.
 pumila, *Eichw.*, 13.
 testudinaria, 4.
 Cassidula, 369.
Catacanthus incarnatus, *Drury*, 85.
 Caulaster, 44.
Caulophæcus, *Schulze*, 252.
 latus, *Schulze*, 245, 246.
 Celleporæ, 275.
 Centrotus, 164.
 albovenosus, 167.
 atricoxis, *Kirby*, 164, 165.
 bioculatus, *Kirby*, 165.
 bubalus, *Kirby*, 167.
 cupreus, *Kirby*, 168.
 decipiens, *Kirby*, 165, 168.
 decisus, *Walk.*, 166.
 flavipes, *Kirby*, 165.
 granulatus, *Kirby*, 166, 167.
 imitator, *Kirby*, 167.
 leucaspis, *Walk.*, 164, 165.
 malleus, *Walk.*, 164.
 pilosus, *Walk.*, 166.
 rectangulatus, *Kirby*, 166.
 reponens, *Walk.*, 164.
 substitutus, *Walk.*, 164, 165.
 taurus, *Fabr.*, 164.
 terminalis, *Walk.*, 164.
Centrurus, *Hempr. & Ehrb.*, 375, 385, 391, 392.
 gracilis, *Latr.*, 385-387.
 Hemprichii, *Kraepelin*, 392.
 heterurus, *Karsch*, 386.
 insulanus, *Thor.*, 386, 388, 389, 391, 409.
 margaritatus, *Gerv.*, 385-387.
 nitidus, *Thor.*, 385, 390, 409.
 princeps, *Karsch*, 385, 391, 393.
 republicanus, *Karsch*, 390.
 tenuis, *Thor.*, 390.
 testaceus, *De Geer*, 385, 389, 391, 409.
 Cephalodiscus, 46.
Ceratopachys prominulus, *Dall.*, 92.
 Cercopidæ, 158.
Cercopis fenestrata, *Fabr.*, 152.
 inclusa, *Walk.*, 159.
Cercotmetus asiaticus, *Serv.*, 125.
Ceriagrion cerinorubellum, *Brauer*, 545, 564.
 coromandelianum, *Fabr.*, 564.
Cerilocus discolor, *Stål.*, 115.
Cermatia Guildingii, *Newp.*, 456.
 Cestodes, 372.
 Chactas, 399.
 delicatus, *Karsch*, 401.
 —, var. *opacus*, *Karsch*, 401.

- Chactas Gollmeri, *Karsch*, 400.
 Chalcophora japonica, *Gory*, 329, 338.
 querzeti, *Saund.*, 338.
 Chalina, *Grant*, skeletal spicules of,
 183, 225, 256.
 Chernes, muscular system of, 412.
 Hahnii, 417.
 Chernetidae, 282.
 —, Notes on the, with special
 Reference to the Vestigial Stigmata
 and to a new form of Trachea, by
 H. M. Bernard, 410–430.
 Chilognatha, 475.
 Chilopoda, 454–473.
 Chondrocladia, *Wyv. Thomson*, 211,
 212, 225, 254, 258, 259.
 conerescens, *O. Schmidt*, 211.
 crinita, *Ridley & Dendy*, 211.
 virgata, *Wyv. Thoms.*, 212.
 Chonelasma hamatum, *Schulze*, 249.
 Chorizocormus, 446.
 leucophæus, 446.
 subfuscus, 446.
 sydneyensis, 446.
 Chronoba pallifrons, *Stål*, 151.
 Chrysobothris succedanea, *Saund.*, 338.
 Chrysochroa alternans, *Waterh.*, 328,
 338.
 cæruleocephala, *Motsch.*, 338.
 elegans, *Thunb.*, 338.
 fulgida, *Oliv.*, 338.
 fulgidissima, *Schoenh.*, 338.
 Holstii, *Waterh.*, 328, 338.
 japonensis, 327.
 ocellata, *Fabr.*, 327.
 Chrysocoris patricia, *Fabr.*, 75.
 Chrysodema Lewisii, *Saund.*, 328, 338.
 Chthonius, 428.
 Chysodema, read Chrysodema Lewisii,
Saund., 328.
 Cicada, 156.
 apicalis, *Kirby*, 131, 176.
 hyalina, *Fabr.*, 152.
 nubifurca, *Walk.*, 131, 132.
 ocellata, *Fabr.*, 156.
 ocellata, *auct.*, 155.
 spinosa, *Fabr.*, 145.
 tomentosa, *Fabr.*, 145.
 Cicadidae, 126.
 Cimex angustatus, *Fabr.*, 97.
 augur, *Fabr.*, 93.
 cingulatus, *Fabr.*, 104.
 cribrarius, *Fabr.*, 78.
 cruciatu, *Fabr.*, 85.
 dentatus, *Fabr.*, 81.
 fimbriatus, *Fabr.*, 85.
 Fullo, *Thunb.*, 81.
 guttatus, *Fabr.*, 81.
 guttigerus, *Thunb.*, 83.
 incarnatus, *Drury*, 85.
 Cimex janus, *Fabr.*, 88.
 lectularius, *Linn.*, 111.
 linearis, *Fabr.*, 93.
 mactans, *Fabr.*, 80.
 militaris, *Fabr.*, 98.
 nobilis, *Linn.*, 75.
 nobilis, *Fabr.*, 75.
 nobilis, *Sulz.*, 75.
 nubilus, *Fabr.*, 81.
 obscurus, *Fabr.*, 88.
 ocellatus, *Thunb.*, 74.
 papillosus, *Drury*, 87.
 patricius, *Fabr.*, 75.
 phasianus, *Fabr.*, 89.
 picus, *Fabr.*, 83.
 pictus, *Fabr.*, 85.
 prasinus, *Linn.*, 86.
 —, var. *torquatus*, *Fabr.*, 86.
 rhombeus, *Linn.*, 92.
 rubrofasciatus, *De Geer*, 117.
 servus, *Fabr.*, 98.
 silphoides, *Fabr.*, 79.
 taurus, *Fabr.*, 88.
 VahlII, *Fabr.*, 79.
 varians, *Fabr.*, 80.
 varicornis, *Fabr.*, 104.
 viridulus, *Linn.*, 86.
 Cimicidae, 111.
 Ciona canina, *O. F. Müller*, 433.
 fascicularis, *Hanc.*, 441, 453.
 intestinalis, *Linn.*, 433, 434, 436.
 Cixiidae, 137.
 Cixius nubilus, *Walk.*, 137, 176.
 stigma, *Motsch.*, 188.
 Cladochalina nuda, var. *abruptispicula*,
Ridley, 184.
 Cladorhiza, *Sars*, 198, 210, 225, 254,
 255, 257.
 abyssicola, *Sars*, 184.
 Haasti, *Hinde & Holmes*, 210,
 258.
 moruliformis, *Ridley & Dendy*,
 197.
 tridentata, *Ridley & Dendy*, 210.
 Clavelina, 434.
 lepadiformis, *O. F. Müller*, 433,
 434.
 Clavigralla concolor, *Dohrn*, 97.
 horrens, *Dohrn*, 97.
 Clavulina, *Vosm.*, 226.
 Cletomorpha benita, 97.
 denticulata, *Kirby*, 95.
 lanciger, *Fabr.*, 96.
 Walkeri, *Kirby*, 96.
 Cletus bipunctatus, *Hope*, 95.
 bistillatus, *Dohrn*, 95.
 calumniator, *Fabr.*, 95.
 elongatus, *Dohrn*, 95.
 femoralis, *Kirby*, 94.
 punctulatus, *Dall.*, 95.

- Cliona, *Hancock*, 195, 224.
 abyssorum, 224.
 gracilis, *Hancock*, 224.
 lobata, *Hancock*, 224.
 Clovia bipunctatus, *Kirby*, 163.
 exclamans, *Walk.*, 162.
 humeralis, *Kirby*, 162.
 perductalis, *Kirby*, 161, 176.
 perstrigata, *Kirby*, 162.
 Coceidæ, 174.
 Coecocrinus, ftnote 19.
 Coecus adonidum, *Linn.*, 175.
 floriger, *Walk.*, 175, 176.
 laniger, *Kirby*, 175, 176.
 Codiocrinus, *Schultze*, 2, 15, 16.
 Cœnagrioninæ, 560.
 Colobognatha, 478.
 Comarocystis, 27.
 Comatula, 24.
 Comatulæ, Notes on some Arctic, by P.
 Herbert Carpenter, 53.
 Conometopus inspiratus, *Motsch.*, 174.
 Conorhinus rubrofasciatus, *De Geer*,
 117.
 Coperia marginipes, *Ramb.*, 560.
 serapica, *Selys*, 545, 561.
 Coptosoma atomarium, *Germ.*, 79.
 brunneum, *Atk.*, 78.
 ceylonica, *Motsch.*, 78.
 ceylonicum, *Dohrn*, 78.
 cribrarium, *Fabr.*, 78.
 ellia, *Walk.*, 78.
 laticeps, *Dall.*, 78.
 minima, *Atk.*, 78.
 nobile, *Dohrn*, 79.
 sphærule, *Germ.*, 78.
 Coræbus ignotus, *Saund.*, 338.
 quadriundulatus, *Motsch.*, 331,
 338.
 rubi, *Linn.*, 331.
 rusticans, *Lewis*, 331, 338.
 Corallites, *O. Schmidt*, 241, 243, 261.
 Coreidæ, 89.
 Corella larviformis, *Hanc.*, 442.
 ovata, *Hanc.*, 442.
 parallelogramma, *O. F. Müller*,
 433, 434.
 Coreus scabrator, *Fabr.*, 92.
 Corixa albifrons, *Motsch.*, 126.
 Corixidæ, 126.
 Corizus rubicundus, *Sign.*, 97.
 Cormocephalus *Guildingii*, *Newp.*, 460.
 impressus, *Porath*, 460.
 lineatus, *Newp.*, 460.
 Corticidæ, *Vosm.*, 227.
 Corticium, *O. Schmidt*, 227-230, 243,
 244, 260.
 candelabrum, *O. Schmidt*, 227.
 stelligerum, *O. Schmidt*, 230.
 versatile, *O. Schmidt*, 329.
 Corticium Wallichi, *Carter*, 223.
 Corylocrinus, 3, 5.
 Coryzus brevicollis, *Motsch.*, 99.
 semicruciatius, *Motsch.*, 99.
 Cosmocarta, read Cosmoscarta, 160.
 Cosmocasta, see Cosmoscarta, 159.
 Greeni, *Atk.*, 159.
 taprobanensis, *Atk.*, 159.
 Cosmopsaltria larus, *Walk.*, 127.
 vibrans, *Walk.*, 127.
 Cosmoscarta larus, *Walk.*, 127.
 vibrans, *Walk.*, 127.
 Craniella (Tethea) cranium, 235.
 Crateromorpha, *Gray*, 246, 247, 250,
 252, 262.
 Meyeri, *Gray*, 250.
 tumida, *Schulze*, 247.
 Crepidula, 370, 372.
 Cribrella, 193, 257.
 hospitalis, *O. Schmidt*, 193.
 Crimia, 111.
 lateralis, *Walk.*, 110.
 nigra, *Dohrn*, 110.
 rubrescens, *Walk.*, 110.
 verrucicollis, *Walk.*, 110.
 Crinoids from the Neighbourhood of
 Madeira, Notes on some, by P. H.
 Carpenter, 64.
 —, On a small Collection of, from
 the Sahul Bank, North Australia, by
 Prof. F. Jeffrey Bell, 339.
 Crocothemis soror, *Ramb.*, 546, 551.
 Cryptocrinus, 13, 14, 16, 24, ftnote 28, 50.
 cerasus, 16, 52.
 lævis, 16, 30.
 Cryptodactylus auriceps, *Saund.*, 338.
 Cryptodesmus, *Pet.*, 508.
 laqueatus, *Karsch*, 509.
 ornamentatus, *Karsch*, 509.
 vincentii, *Pocock*, 510, 543.
 Cryptops, 454, 455, 457.
 bivittatus, *Pocock*, 462.
 Cryptoschisma, 12.
 Otanicella, 442.
 complanata, *A. & H.*, 442.
 Culicocrinus, ftnote 19.
 Cumacea in New Zealand, On the Oc-
 currence of two Species of, by G. M.
 Thomson, 263.
 Cupipes, 457.
 Guildingii, *Newp.*, 460, 461.
 lineatus, *Newp.*, 460, 461.
 ungulatus, *Meinert*, 460.
 Cyathocrinites, 47.
 Cyathocrinus, 24, 29.
 Cyathocystis, 24, 26.
 Plautinæ, *Schmidt*, 18.
 Cyclaspis, 263.
 australis, 265-267.
 lævis, *Thoms.*, 264, 270.

- Cyclaspis pusilla*, *Sars*, 264.
Cyclodesmus, *Humb. & Sauss.*, 508.
 aztecus, 509.
 porcellanus, *Pocock*, 509, 543.
Cyclopelta sicifolius, *Hope*, 87.
 tartarea, *Stål*, 87.
Cyclophorus Everetti, *E. A. Smith*, 343, 352.
Cydnus minutus, *Motsch.*, 81.
Cydonium esoaeter, *Sollas*, 239.
Cylindromorphus japonensis, *Saund.*, 338.
Cylindrostethus Fieberi, *Mayr*, 124.
Cymus basicornis, *Motsch.*, 103.
Cynthia aggregata, *Rath.*, 435.
 ampulla, *Brug.*, 435.
 cowata, *Ald.*, 436.
 coriacea, *A. & H.*, 435.
 echinata, *Linn.*, 434, 436.
 glacialis, 436.
 glomerata, 436.
 granulata, 436.
 grossularia, *van Ben.*, 435.
 informis, *Forb.*, 434.
 limacina, *Forb.*, 435, 451.
 mammillaris, *Pall.*, 435, 436.
 microcosmus, *Sav.*, 434.
 morus, *Forb.*, 435.
 opalina, 436.
 quadrangularis, *Forb.*, 434, 447.
 rosea, 436.
 rustica, *Linn.*, 435, 448.
 squamulosa, *Ald.*, 434, 436.
 sulcatula, 436.
 tessellata, *Forb.*, 435, 451.
 tuberosa, *Macg.*, 434.
 violacea, 436.
Cynthiidae, 444, 446, 453.
Cynthiinae, 451.
Cystidea, On certain Points in the Morphology of the, by P. H. Carpenter, 1.
Cystoblastus, 5, 11, 12, 14, 17, footnote 28, 50.
 Leuchtenbergi, 52.
Cystocrinoidea, 14.
Dactylocalycites, *Carter*, 236, 261.
Dactylocalyx, 243.
Dalader acuticoستا, *Amyot & Serv.*, 89.
 planiventris, *Hope*, 89.
Darbanus fuscispinus, *Stål*, 121.
Decapod Freshwater Fauna of St. Vincent, Supplementary Note on the, by R. I. Pocock, 407.
Delphacidae, 140.
Delphax albicollis, *Motsch.*, 141.
 coloratus, *Motsch.*, 141.
 Ernesti, *Kirby*, 140, 176.
 marginalis, *Motsch.*, 141.
Delphax simplex, *Kirby*, 141.
 sordescens, *Motsch.*, 141.
 unistrigatus, *Motsch.*, 141.
 venosus, *Motsch.*, 141.
Deltocephalus distinctus, *Motsch.*, 172.
 dorsalis, *Motsch.*, 172.
 elongato-ocellatus, *Motsch.*, 172.
 guttulatus, *Motsch.*, 172.
 rubrolineatus, *Motsch.*, 172.
 transparipennis, *Motsch.*, 172.
 variegatus, *Motsch.*, 172.
Dendrobana, *Eisen*, 292, 293, 294, 296, 297, 303.
 Boeckii, *Eisen*, 298, 300, 301.
 puter, *Erley*, 300.
Deræocoris piceoniger, *Motsch.*, 107.
 rubrovulneratus, *Motsch.*, 107.
 viridanus, *Motsch.*, 107.
Derbe crenatonervosa, *Motsch.*, 142.
 furcatovittata, *Stål*, 142.
 nitagalensis, *Kirby*, 142, 176.
 (Phenice) *moesta*, *Westw.*, 144.
 (Thracia) *pterophoroides*, *Westw.*, 142.
Derbidae, 142.
Desmacidon, *Bow.*, 197, 201, 203, 204, 225, 226, 258, 259.
 fruticosa, *Montag.*, 204.
 tunicata, *O. Schmidt*, 203.
Desmacidonidae, 225, 226.
Deutoecystis, footnote 28.
Diachoris, 273.
 magellanica, *Busk*, 273, 276.
Diastatomma rapax, *Ramb.*, 558.
Diastylis, 263.
 neo-zealanica, *Thoms.*, 268, 271.
Diazona hebridica, 436.
 violacea, *Sav.*, 436.
Dicephalus, *Kirby*, 73, 115.
 telescopicus, *Kirby*, 117, 176.
Dicerca aimo, *Lewis*, 328, 338.
 amphibia, *Mars.*, 328.
 asperata, *Lap.*, 329.
 furcata, *Thunb.*, 328.
 spreta, *Gory*, 329.
 tenebrosa, *Kirby*, 329.
 tibialis, *Lewis*, 328, 338.
Dichoptera, 147.
 hyalinata, *Fabr.*, 133.
Dietyocylindrus, 192.
 dentatus, *Bow.*, 238.
Dictyonota cingalensis, *Walk.*, 109.
Dietyophora, 136.
 albivitta, *Walk.*, 134.
 breviceps, *Walk.*, 134.
 egregia, *Kirby*, 135, 176.
 pallida, *Walk.*, 135.
 percarinata, *Kirby*, 134.
 viridistigma, *Kirby*, 135.
Dieuches femoralis, *Dohrn*, 100.

- Dieuches punctipes*, *Dohrn*, 100.
Dindymus Sita, *Kirby*, 104, 176.
Diomma ochracea, *Motsch.*, 173.
Diplacodes nebulosa, *Fabr.*, 546, 556.
Diplocentrus, *Peters*, 375, 393, 395, 396, 397.
 antillanus, *Pocock*, 394, 396, 409.
 Gundlachii, *Karsch*, 394, 395.
 mexicanus, *Peters*, 396.
 Purvesii, *Simon*, 397.
 scaber, *Pocock*, 396.
 Whitei, *Gerv.*, 396.
Diplommatina, 342.
 Aldrichi, *Godw.-Austen*, 349, 350.
 baritensis, *E. A. Smith*, 350, 352.
 Everetti, *E. A. Smith*, 342, 349, 352.
 excentrica, *E. A. Smith*, 342, 349, 352.
 moluensis, *E. A. Smith*, 348, 352.
 sulphurea, *E. A. Smith*, 348, 359.
 symmetrica, *E. A. Smith*, 349, 352.
Diplonychus rusticus, *Fabr.*, 124.
Diplopoda, 473.
Dipraphia ? *indica*, *Motsch.*, 174.
Discodermia, *Bocage*, 241, 242, 243, 261.
 sinuosa, *Carter*, 242, 261.
Disparoneura cæsia, *Selys*, 562.
 centralis, *Hagen*, 546.
 centralis, *Selys*, 546, 562.
 hilaris, *Hagen*, 546.
 interrupta, *Selys*, 563.
 maculata, *Nietn.*, 546.
 oculata, *Kirby*, 562.
 sita, *Kirby*, 563.
 tenax, *Hagen*, 546.
 tenax, *Selys*, 545, 562, 563, 566.
Diriænella, *Hinde & Holmes*, 232, 233, 243, 260.
 Oamaruensis, *Hinde & Holmes*, 232, 233, 260.
Dorocidaris papillata, ftnote 28.
Dorthesia, 175.
Doryderma, *Zittel*, 240.
Dotona, 256.
 pulchella, 186.
Dragonflies, Catalogue of the described Neuroptera Odonota of Ceylon, with Descriptions of New Species, by W. F. Kirby, 545.
Dundubia clonia, *Walk.*, 128.
 larus, *Walk.*, 127.
 mixta, *Kirby*, 128.
 stipata, *Walk.*, 128.
Dysdercus cingulatus, *Fabr.*, 104.
 fulvomarginatus, *Dohrn*, 105.
 lineatipes, *Dohrn*, 104.
 monostigma, *Walk.*, 104.
Echinodiscus, 48.
Echinoenerinus, 5, 6, 8, 9, 10, 13, 14, 26, 28, 29.
 angulosus, 7, 52.
 armatus, 7, 8, 30, 52.
 armatus, var., 52.
 granatum, 7.
 Senkenbergi, *von Buch*, 25.
 striatus, 7.
Echinosphæra, 5, 14, ftnote 28, 31, 50.
 aurantium, 5, 21.
Ectrichodia discrepans, *Walk.*, 118.
 Linnei, *Stål*, 118.
Elæacrinus, 36, 51.
Elasmognathus Greeni, *Kirby*, 109, 110, 175.
 Helferi, *Fieb.*, 110.
 pallida, *Kirby*, 110.
Elasmoscelis, 149.
 platypoda, *Kirby*, 148, 176.
 radians, *Kirby*, 149, 176.
 tagalica, *Stål*, 149.
Elidiptera Emersoniana, *Walk.*, 150, 153.
 perplexa, *Walk.*, 150.
Emesa Henrici, *Dohrn*, 123.
 invisibilis, *Dohrn*, 123.
Emesidæ, 123.
Endochus alboannulatus, *Stål*, 121.
 cingalensis, *Stål*, 121.
 consors, *Stål*, 121.
Enterion, 312.
 castaneum, *Sav.*, 300, 313.
Epeiridæ, 317.
Epophthalmia cyaneocephala, *Hagen*, 557.
 vittata, *Burm.*, 545.
 vittata, *Hagen*, 557.
Erana nigricornis, *Stål*, 145.
Erthesina Fullo, *Thunb.*, 81.
 fullo, *Atk.*, 81.
 guttata, *Fabr.*, 81.
Erylus, *Gray*, 236, 237, 243, 261.
 (*Stelletta*) *euastrum*, *O. Schmidt*, 236.
 (—) *mamillaris*, *O. Schmidt*, 236.
Erythemis rufa, *Ramb.*, 546, 556.
Esperella, *Vosm.*, 192, 195, 197, 198, 205-208, 225, 226, 255, 257, 258.
 porosa, *Ridley & Dendy*, 208.
 Simonis, *Ridley & Dendy*, 199, 206.
Esperia, *Nardo*, 205, 225.
 anceps, 205.
 bihamatifera, *Vosmaer*, 209.
 diaphana, *O. Schmidt*, 205.
 gelatinosa, 207.
 Lorenzii, 205.
 serratohamata, 208.
 syrinx, 205.

- Esperopsis, *Carter*, 192, 209, 210, 225, 254, 255, 258.
 profunda, *Ridley & Dendy*, 209.
 pulchella, *Ridley & Dendy*, 210.
 Eugoras fuscispinus, *Stål*, 121.
 Euchytræus albidus, *Henle*, 315.
 Eucystis, ftnote 28, 47, 50.
 Eucystoidea, 14.
 Eugenia, 154.
 Eugyra globosa, *Hanc.*, 442.
 glutinaus, *Möll.*, 434, 435, 436.
 Eumerus insignis, *Reuter*, 113.
 Euphaea splendens, *Hagen*, 545.
 splendens, *Selys*, 559.
 Euphyllia, 357.
 Euplectella, 251, 255.
 aspergillum, *Owen*, 251.
 nodosa, *Schulze*, 244.
 Eupsammidæ, 353.
 Eupsamminæ, 353.
 Eurybrachys crudelis, *Westw.*, 146, 147.
 dilatata, *Walk.*, 145.
 fraterna, *Stål*, 145.
 pulverosa, *Hope*, 146.
 spinosa, *Fabr.*, 145.
 tomentosa, *Fabr.*, 145.
 Westwoodii, *Kirby*, 146, 176.
 Eurythyrea micans, *Fabr.*, 330.
 scutellaris, *Ol.*, 330.
 tenuistriata, *Lewis*, 330, 338.
 Eusthenes cupreus, *Hope*, 87.
 Eysarcoris dubius, *Dall.*, 83.
 guttigerus, *Thunb.*, 83.

 Farrea occa, 232.
 Flata, 156.
 acutipennis, *Atk., MS.*, 156, 157.
 stellaris, *Walk.*, 155.
 Flatidæ, 139, 147.
 Flustra, 277.
 Forbesella tessellata, *Forb.*, 435, 451, 453, 454.
 Forcepia, *Carter*, forceps or hair-pin flesh-spicules of, 195, 196.
 Forcepia, *Carter*, 189, 198, 225, 256, 257.
 bulbosa, *Carter*, 196.
 Carteri, *Hinde & Holmes*, 195, 196, 257.
 colonensis, *Carter*, 188, 196.
 Vosmaeri, *Hinde & Holmes*, 196, 257.
 (*Halichondria*) *bulbosa*, *Carter*, 196.
 Formicoris, 73, 122.
 inflatus, *Kirby*, 122, 176.
 Friend, Rev. Hilderic, Studies of British Tree- and Earth-worms, 292.
 Fulgora affinis, *Westw.*, 133.
 hyalinata, *Fabr.*, 133.
 Fulgora maculata, *Oliv.*, 132.
 marginella, *Oliv.*, 155.
 punctata, *Gray*, 133.
 Fulgoridæ, 132.

 Galeodes, 411–415, 422, 423, 427, ftnote 529.
 græcus, *Koch*, 361.
 Galeodidæ, 412, 417.
 Gamasus, 282, 283–285, 291.
 fuscicornis, 282, 291,
 Gardena melanarthrum, *Dohrn*, 123.
 Gasterocoma, 14.
 Gellius glacialis, *Ridley & Dendy*, 197.
 Genestia vitriceps, *Stål*, 145.
 Geocoris marginicollis, *Dohrn*, 103.
 Geodia, 236, 237, 239.
 tuberculosa, *Bow.*, 239.
 Geodites, *Carter*, 231, 233–235, 243, 260, 261.
 Haldonensis, *Carter*, 233.
 Geophilidæ, 454, 455, 469.
 Geophilus, *Leach*, 460, 469.
 bilineatus, *Peters*, 473.
 brevilabiatus, *Newp.*, 472.
 lineatus, *Newp.*, 472.
 mustiguensis, *Pocock*, 470.
 tenuitarsis, 471.
 Georissa gomantonensis, *E. A. Smith*, 351, 352.
 Hosei, *Godw.-Austen*, 351, 352.
 Hungerfordi, *Godw.-Austen*, 351.
 similis, *Godw.-Austen*, 351, 352.
 Geothauma, ftnote 342.
 Gerridæ, 123.
 Gerris Adelaidis, *Dohrn*, 124.
 armata, *Spin.*, 124.
 laticaudata, *Hardw.*, 124.
 nitida, *Mayr*, 123.
 pectoralis, *Mayr*, 123.
 varicornis, *Fabr.*, 94.
 Gibbocellum, 417, 418, 419, 428.
 Glomeridesmidæ, 475.
 Glomeridesmus, *Gerv. & Goud.*, 473, 476.
 marmoreus, *Pocock*, 476, 542.
 porcellus, *Gerv.*, 476.
 Glomeris, 475.
 Glyptocystis, 5, 6, 12, 17, 18, ftnote 28, 47, 50.
 gigantea, 12.
 multiplora, 12, 14, 30, 52.
 pennigera, 11, 12, 13.
 sculpta, 12.
 Glyptosphæra, 14, 17, 24, 26, 28, 31, 49, 50.
 Leuchtenbergi, 18, 26, 29, 52.
 Gomphina, 557.
 Gomphinæ, 557.
 Gomphocystis, 17, 47.

- Gomphus ceylonicus*, Selys, 557.
Nietneri, Selys, 557.
- Goodsiria*, 446.
 placenta, 445, 446.
- Gorpis cribraticoilis*, *Stål*, 113.
- Gryllus verrucivorus*, *Linn.*, ftnote 169.
- Guitarra*, *Carter*, 182, 213, 225.
Carteri, *Hinde & Holmes*, 213, 259.
fimbriata, 214.
intermedia, *Hinde & Holmes*, 213, 214, 259.
- Gymnolæuata*, 277.
- Gynacantha furcata*, *Ramb.*, 558.
subinterrupta, *Hagen*, 558.
subinterrupta, *Ramb.*, 545, 546, 558.
- Gypona prasina*, *Walk.*, 171.
striata, *Kirby*, 171.
- Hadrorus*, *Thor.*, 375, 401.
hirsutus, *Wood*, 401.
maculatus, *Thor.*, 401.
parvulus, *Karsch*, 401.
- Halichondria*, *Carter & Bowerb.*, 189, 192, 204, 256, 259.
aceratospiculum, *Carter*, 184, 185.
Dickiei, *Bow.*, 191.
incrustans, *Bow.*, 204.
infrequens, *Carter*, 185, 188.
latrunculioides, 183.
pustulosa, *Carter*, 204.
- Halichondrina*, *Vosmaer*, 225.
- Halobates brevis*, *Mayr*, 124.
Ståli, *Dohrn*, 124.
- Halyomorpha piceus*, *Fabr.*, 83.
picus, *Atk.*, 83.
- Halya dentata*, *Fabr.*, 81.
timorensis, *Hope*, 83.
- Hamacantha*, *Gray*, 197-200, 225, 258.
Johnsoni?, *Bowk.*, 198, 258.
Huttoni, *Hinde & Holmes*, 199, 258.
 (Hymedesmia) *Johnsoni*, *Bowk.*, 198.
- Haplocrinus*, 18, ftnote 19, 20, 23.
- Harpactor arripes*, *Stål*, 123.
bicoloratus, *Kirby*, 120.
impressicollis, *Stål*, 121.
nigroruber, *Dohrn*, 120.
obscurus, *Kirby*, 120.
sordidepennis, *Dohrn*, 120.
- Helminthomorpha*, 473, 477.
- Helopeltis Antonii*, *Sign.*, 109.
- Hemianax ephippigera*, *Burm.*, 558.
- Hemicidaris*, 10.
- Hemicosmites*, 1, 2, 4, 13, 18, 21, 23, 24, 27, 50.
pyriformis, 22, 52.
- Hemicystis*, 30.
- Hemiptera Heteroptera* and *Homoptera* of Ceylon, Catalogue of the described, based on the Collection formed (chiefly at Pundaloya) by Mr. E. Ernest Green, by W. F. Kirby, 72-176.
- Hemisphærius bipustulatus*, *Walk.*, 147.
dubius, *Butl.*, 147.
herbaceus, *Kirby*, 147.
Schaumi, *Stål*, 147.
- Hemistigma*, 553.
- Herdman*, Prof. W. A., Notes on British Tunicata: Part II., 431.
- Hermaphrodite Mackerel*, *Scomber Scomber*, On a, by Prof. Chas. Stewart, 70.
- Hermaphrodite Trout*, *Salmo fario*, On a, by Prof. Chas. Stewart, 69.
- Heteroctenus*, *Pocock*, 375, 391, 393, 393.
Agamemnon, *C. Koch*, 393.
junceus, *Herbst*, 392, 393.
- Heterogaster brevicollis*, *Motsch.*, 99.
ceylanicus, *Motsch.*, 99.
semicruciatas, *Motsch.*, 99.
signifer, *Walk.*, 99.
- Heterometrus spinifer*, *Hempr. & Ehrb.*, 316.
- Heterophrynus chiracanthus*, *Gerv.*, 527.
- Heterostinia*, *Zittel*, 241.
- Hexactinella ventilabrum*, *Carter*, 250.
- Hexactinellid Sponges*, 244, 246, 249-252.
- Hexactinellidæ*, *O. Schmidt*, 183, 244, 252.
- Hinde*, Dr. G. Jennings, and W. M. Holmes, On the Sponge-remains in the Lower Tertiary Strata near Oamaru, Otago, New Zealand, 177.
- Histoderma*, *Carter*, 189.
appendiculatum, *Carter*, 188.
- Holecna immanis*, ftnote 529.
- Holmes*, W. M., and Dr. G. J. Hinde, On the Sponge-remains in the Lower Tertiary Strata near Oamaru, Otago, New Zealand, 177.
- Holocystis*, 13, 47, 48.
- Homœocerus*, 98.
antennatus, *Kirby*, 90, 175.
biplagiatus, *Stål*, 91.
cingalensis, *Stål*, 91.
fascifer, var. (?), *Walk.*, 91.
lævilineus, *Stål*, 91.
marginiventris, *Dohrn*, 90, 91.
prominulus, *Dall.*, 92.
signatus, *Walk.*, 91, 92.
Walkeri, *Kirby*, 91.
- Homorrhaphidæ*, *Ridley & Dendy*, 225.
- Hoplomyrmus*, *Gerst.*, 73, 122.
- Hotea curculionides*, *Herr.-Schäff.*, 77.

- Hotinus coccineus*, *Walk.*, 132.
fulvirostris, *Walk.*, 132.
guttifer, *Stål*, 132.
insularis, *Kirby*, 132, 176.
maculatus, *Oliv.*, 132.
- Hyalonema*, *Gray*, 247, 249, 250,
 252, 254, 255, 261, 262.
depressum, *Schulze*, 248.
elegans, *O. Schmidt*, 245.
globus, *O. Schmidt*, 245.
lusitanicum, *Bocage*, 247.
Sieboldi, *Gray*, 248.
tenerum, *O. Schmidt*, 247.
tenerum, *Schulze*, 250.
Thomsoni, *Marshall*, 249.
- Hyboeystis*, 12, 13.
- Hydrobasileus extraneus* (*Hagen*),
Karsch, 547, 566.
- Hydrometra nitida*, *Mayr*, 123.
pectoralis, *Mayr*, 123.
- Hylocoris fumipennis*, *Walk.*, 103.
- Hymedesmia inflata*, *Bow.*, 185.
- Hymenaster*, 27, 30, 32.
- Hymeniacidon*, 192, 256.
Cliftoni, 187.
- Hymeraphia*, *Bow.*, 225, 257.
clavata, 194.
coronula, 194.
eruca, 185.
simplex, 194.
- Hyocrinus*, 24, 36.
- Hypoerinus*, 2, 14, 15, 16.
- Hypocetonus formosus*, *Butler*, 316.
formosus, *Thorell*, 317.
- Hyponome Sarsii*, 45.
- Ictinus rapax*, *Ramb.*, 558.
- Idiocerus* ? *subopacus*, *Motsch.*, 171.
- Iophon*, *Gray*, 189, 192, 209, 212, 225,
 256, 258.
abnormalis, *Ridley & Dendy*, 209.
cylindricus, *Ridley & Dendy*, 189.
hybridus, *Hinde & Holmes*, 212,
 259.
- Isantha arripes*, *Stål*, 123.
- Ischnodemus centralis*, *Walk.*, 102.
- Ischnura delicata*, *Selys*, 564.
- Isodictya anomala*, 184.
- Isometrus*, *Hemp. & Ehrb.*, 375, 376.
americanus, *Kraepelin*, 378.
 —, var. *androcottoides*, *Karsch*,
 377.
androcottoides, *Pocock*, 377.
antillanus, *Thorell*, 379, 384.
insignis, *Pocock*, 379.
maculatus, *De Geer*, 376.
obtusus, *Karsch*, 379.
- Isopora*, 358.
- Issidæ*, 145.
- Iulidæ*, 480, 507, 508.
- Iulinæ*, 480.
- Iuloidea*, 480.
- Iulus Beauvoisii*, *Gerv.*, 507.
cæsar, *Karsch*, 480.
curiosus, *Karsch*, 480.
indus, *Pal. Beauvois*, 506, 507.
 (*Parailulus*) *rasilis*, *Karsch*, 508.
- Ixodes*, 289, 290.
ricinus, 289.
- Jassus curtulus*, *Motsch.*, 171.
fusconervosus, *Motsch.*, 171.
latruncularius, *Motsch.*, 171.
pauperculus, *Spångb.*, 171.
- Juglandocrinus*, 3, 4, 5, 20, 21, 23, 24.
crassus, 23.
- Kirby*, W. F., Catalogue of the described
 Hemiptera Heteroptera and Homop-
 tera of Ceylon, based on the Collec-
 tion formed (chiefly at Pundaloya)
 by Mr. E. Ernest Green, 72.
 —, Catalogue of the described Neuro-
 ptera Odonata (Dragonflies) of Cey-
 lon, with Descriptions of New Species,
 545.
- Lagocheilus altus*, *E. A. Smith*, 345, 352.
baritensis, *E. A. Smith*, 344, 352.
borneensis, *E. A. Smith*, 345, 352.
inornatus, *E. A. Smith*, 345, 352.
jucundus, *E. A. Smith*, 344, 352.
- Laminaria*, 438, 448.
- Land-Shells from Borneo*, Descriptions
 of new Species of, by E. A. Smith, 341.
- Larymna helicornis*, *Fabr.*, 119.
- Lathrecista simulans*, *Selys*, 553.
- Latrunculia*, *Bocage*, 192, 215–222, 226,
 255, 259, 260.
acerata, *Ridley & Dendy*, 221.
Bocagei, *Ridley & Dendy*, 219.
brevis, *Ridley & Dendy*, 219.
corticata, *Carter*, 216.
cratera, *Bocage*, 219.
Oamaruensis, *Hinde & Holmes*,
 218, 259.
obtusa, *Ridley & Dendy*, 220, 221,
 259.
purpurea, *Carter*, 219.
- Latrunculidæ*, 226.
- Lecanium coffeæ*, *Walk.*, 174.
mangiferæ, *Green*, 174.
nigrum, *Nietn.*, 175.
viride, *Green*, 174.
- Lecythiocrinus*, *White*, 15.
Adamsi, *Worthen*, 15.
olliculæformis, 15.
- Ledra conica*, *Walk.*, 170.
rugosa, *Walk.*, 170.
scutellata, *Walk.*, 170.

- Ledropsis dimidiata*, *Stål*, 171.
Lenæus pyrhus, *Stål*, 115.
Lepadoerinus, 5, 9, 10, 12, 14, 21, ftnote 28.
 Gebhardi, 9, 10, 12, 14, 52.
 Moorei, *Meek*, 10.
Lepadoecystis, 10.
 Moorei, 12, 14.
Lepocerinites (*Lepadoerinus*) *Moorei*, *Meek*, 10.
Lepralia, 275.
 figularis, ftnote 274.
 foliacea, *Ell. & Sol.*, 272, 273, 278.
 margaritifera, *Quoy & Gaim.*, 272, 273.
 Pallasiana, *Jullien*, 274, 275.
Leptobolus, 166.
 auriculatus, *Stål*, 163.
 curvispinus, *Stål*, 163.
Leptocoris angustata, *Fabr.*, 94.
 varicornis, *Fabr.*, 94.
Leptomeroeris albiviridescens, *Motsch.*, 108.
 albofasciatus, *Motsch.*, 108.
 pistacinus, *Motsch.*, 108.
 punctatus, *Kirby*, 108.
 simplex, *Walk.*, 108.
Leptoscelis ventralis, *Dall.*, 92.
Leskia mirabilis, *Gray*, ftnote 18, 37.
Lestes, 556.
 decipiens, *Kirby*, 565.
 divisus, *Selys*, 566.
 elata, *Hagen*, 545.
 elatus, *Selys*, 545, 565.
 gracilis, *Hagen*, 545.
 gracilis, *Selys*, 545, 566.
 orientalis, *Hagen*, 546.
 orientalis, *Selys*, 546, 566.
 præmorsa, *Selys*, 566.
 quercifolia, *Selys*, 566.
Lestomertus affinis, *Serv.*, 111.
 horridus, *Kirby*, 111, 176.
Lewis, G., On the Buprestidæ of Japan, 327.
Libellula aurora, *Burm.*, 546.
 carnatica, *Fabr.*, 555.
 chinensis, *Linn.*, 548, 558.
 congener, *Ramb.*, 546, 553.
 contaminata, *Fabr.*, 546, 551.
 equestris, *Fabr.*, 546, 550.
 festiva, *Ramb.*, 551.
 flavescens, *Fabr.*, 546, 547.
 glauca, *Brauer*, 555.
 infernalis, *Brauer*, 551.
 intermedia, *Ramb.*, 550.
 marcia, *Drury*, 546, 549.
 nebulosa, *Fabr.*, 546, 556.
 oblita, *Ramb.*, 554.
 obscura, *Ramb.*, 553.
 perla, *Hagen*, 546.
Libellula phyllis, *Sulz.*, 549.
 pruinosa, *Burm.*, 554.
 rufa, *Ramb.*, 546, 556.
 sabina, *Dru.*, 546, 554.
 sanguinea, *Burm.*, 546, 552.
 signata, *Ramb.*, 552.
 sobrina, *Ramb.*, 551.
 soror, *Ramb.*, 546, 551.
 Sparshalli, *Dale, MS.*, 547.
 stylata, *Ramb.*, 546, 547.
 tillarga, *Fabr.*, 546, 547.
 trivialis, *Ramb.*, 546, 550.
 tullia, *Drury*, 550.
 variegata, *Linn.*, 546, 549.
 variegata, *Joh.*, 549.
 violacea, *Nietn.*, 546.
 viridula, *Beauv.*, 546, 547.
Libellulidæ, 547.
Libellulinae, 547.
Lichenoides, 13.
Limacomorpha, 475.
Limulus, 285, 289.
Liocoris glabratus, *Motsch.*, 108.
Lithistid and Tetractinellid Sponges represented in the Oamaru Deposit, 240, 241, 243.
Lithistidæ, *Schmidt*, 183, 240, 243.
Lithobiidæ, 455.
Lithobius, 455.
Livilla ? nervosa, *Motsch.*, 174.
Lopus, 106.
Lumbricoidea, 294.
Lumbricus, 292-314.
 agilis, *Hoffm.*, 313.
 agricola, *Hoffm.*, 313.
 amphisbæna, *Dugès*, 313.
 anatomicus, *Grube*, 313.
 anatomicus, *Dugès*, 313.
 annularis, *Temp.*, 313.
 calignosus, *Dugès*, 313.
 carneus, *Hoffm.*, 313.
 castaneus, *Dugès*, 313.
 castaneus, *Sav.*, 313.
 caucasicus, *Kul.*, 313.
 chloroticus, *Grube*, 313.
 ciliatus, *Müller*, 313.
 communis, *Hoffm.*, 313.
 complanatus, *Dugès*, 315.
 cyaneus, *Hoffm.*, 315.
 Eiseni, *Levins.*, 297, 302, 303, 306, 307, 313, 315.
 festivus, *Sav.*, 312.
 fœtidus, *Sav.*, 315.
 gordianus, *Temp.*, 315.
 herculus, *Sav.*, 315.
 lividus, *Temp.*, 315.
 major, *Mouf.*, 315.
 maximus, *Leach*, 315.
 melibæus, *Rosa*, 307, 313, 314.
 minor, *Johns.*, 315.

- Lumbricus multispinus*, *Grube*, 315.
 octaedrus, *Sav.*, 315.
 olidus, *Hoffm.*, 315.
 omilurus, *Temp.*, 309, 315.
 pulchellus, *Leach*, 315.
 purpureus, *Eisen*, 295, 297, 307,
 308, 312-315.
 puter, *Hoffm.*, 296, 298, 299, 300,
 315.
 riparius, *Hoffm.*, 315.
 rubellus, *Hoffm.*, 306, 307, 308,
 309, 312, 314.
 —, var. *curticaudatus*, *Friend*,
 312.
 rubescens, *Friend*, 305, 308-311,
 315.
 terrester, *Grube*, 315.
 terrestris, *Linn.*, 306, 307, 308, 311-
 315.
 tetraëdrus, *Dugès*, 315.
 trapezoideus, *Dugès*, 315.
 virescens, *Sav.*, 315.
 viridus, *Johnst.*, 315.
 xanthurus, *Temp.*, 315.
Lusanda fissiceps, *Stål*, 145.
Lybas turpis, *Walk.*, 93.
Lycosidæ, ftnote 529.
Lygæidæ, 98.
Lygæus abdominalis, *Fabr.*, 93.
 argentatus, *Fabr.*, 98, 99.
 Coqueberti, *Fabr.*, 103.
 grossipes, *Fabr.*, 90.
 gutta, *Burm.*, 105.
 hospes, *Fabr.*, 98.
 leucurus, *Fabr.*, 98.
 maculatus, *Dall.*, 98.
 militaris, *Fabr.*, 98.
 quadratamaculatus, *Kirby*, 98,
 176.
 servus, *Fabr.*, 98.
 (*Pyrrhocoris*) *gutta*, *Burm.*, 105.
Lydium, *O. Schmidt*, 240, 243, 244,
 260.
Lysiopetalidæ, ftnote 477.
Lysiopetalum, *Brandt*, ftnote 477.
Macherota, 164.
 guttigera, *Westw.*, 163.
Mackerel, On a Hermaphrodite, *Scomber*
Scomber, by Prof. Chas. Stewart,
 70.
Macrocytella, 13.
Macropus, *Motsch.*, 72.
 dentipes, *Motsch.*, 102.
 spinimanus, *Motsch.*, 102.
Madrepora, On the Affinities of the
 Genus, by G. Brook, 353-360.
Madreporaria, 356.
Madreporidæ, 353.
Madreporinæ, 353, 358, 360.
Malacopoda, 518.
Malocystis, 27, 50.
 bacula, 50.
 commoda, 50.
 elegans, 50.
 Gorbyi, 50.
 scitula, 50.
Manopora, 353.
Mastosia, *Zitt.*, 240.
Mattiphus ærginosus, *Stål*, 87.
Mecistocephalus, *Newp.*, 469.
 Guildingii, *Newp.*, 470.
 punctifrons, 470.
Mecocentrus, *Simon*, 402.
Megacystis, 5, ftnote 28, 31, 32, 47-50.
 bacula, 49.
 cannea, 49.
 commoda, 49.
 elegans, ftnote 49.
 Faberi, 49.
 globosa, ftnote 49.
 Gorbyi, 49.
 Hammelli, 49.
 ornata, 49.
 ornatissima, ftnote 49.
 papulosa, ftnote 49.
 parva, ftnote 49.
 parvula, 49.
 perlonga, ftnote 49.
 rotunda, 49.
 scitula, 49.
 subovata, ftnote 49.
 Wykoffi, ftnote 49.
Melamphaus fulvomarginatus, *Dohrn*,
 105.
 lateralis, *Walk.*, 105.
 marginalis, *Walk.*, 105.
 rubidus, *Walk.*, 105.
Melanophila acuminata, *De Geer*, 331.
 atropurpurea, *Say*, 331.
 obscurata, *Lewis*, 331, 338.
Melanchora, *Carter*, 199, 200, 213,
 225, 258.
 elliptica, *Carter*, 199, 200.
 Morlandi, *Hinde & Holmes*, 200,
 258.
Melongena melongena, Some Points in
 the Anatomy of, by J. H. Vanstone,
 369-373.
 tuba, 369, 370.
Membracidæ, 163.
Menocrinus, 16.
Mestus morio, *Motsch.*, 141.
 nigropunctatus, *Motsch.*, 142.
 testaceus, *Motsch.*, 141.
Metacrinus interruptus, *P. H. Carp.*,
 339.
 nobilis, 25.
 rotundus, 25.
Metrocotis brevis, *Mayr*, 124.

- Microchoria aberrans*, Kirby, 148, 176.
Microcionia intexta, 192.
Micromerus finalis, Selys, 560.
 lineatus, Burm., 545, 560.
Micronympha aurora, Brauer, 545, 560.
 senegalensis, Ramb., 564.
Microporella coriacea, 275.
 violacea, 274.
Mictis calcar, Dall., 89.
 castanea, Dall., 89.
 lata, Dall., 89.
 lobipes, Hope, 89.
 phasiana, Fabr., 89.
 punctum, Hope, 89.
 valida, Dall., 89.
Mimocystis, 13.
Mindura Hemerobii, Walk., 158.
Molgula, 434, 436.
 arenosa, A. & H., 435, 436.
 complanata, A. & H., 442.
 inconspicua, A. & H., 442.
 oculata, Forb., 434.
 socialis, Ald., 436.
 tubulosa, Rath., 434.
Molgulidæ, 453.
Monaetiniellid Sponges represented in the Oamaru Deposit, 225.
Monactinellidæ, Zittel, 183, 225.
Monalocoris bipunctipennis, Walk., 108.
Monanthia atra, Motsch., 109.
 subovata, Motsch., 109.
 tingoides, Motsch., 109.
Monaxonida, Ridley & Dendy, 183.
Montipora, Oken, 353, 356, 358-360.
Montiporinæ, 353, 358-360.
Moore, J. E. S., On the Structural Differentiation of the Protozoa as seen in Microscopic Sections, 364.
Mormidea contigua, Walk., 82.
 florens, Walk., 82.
 similis, Kirby, 82.
 socia, Walk., 82.
Mucida, 294.
Murex melongena, 369.
Mygale, 282, 283, 291.
Mygalidæ, 412, footnote 529.
Myocoris, 122.
 gilvus, Burm., 121.
Myriopoda and Arachnida of the Mergui Archipelago, Supplementary Notes on the, with Descriptions of some New Species from Siam and Malaysia, by R. I. Pocock, 316.
 Chilopoda, 319.
 Diplopoda, 320.
Myxilla, O. Schmidt, 184; *tibiella* spicules of, 188, 189, 192, 198-204, 225, 226, 254-258.
 arborescens, Ridley, 201.
Myxilla compressa, Ridley & Dendy, 201.
 Dendyi, Hinde & Holmes, 202, 203, 259.
 hastata, Ridley & Dendy, 190.
 nobilis, Ridley & Dendy, 202.
 spongiosa, Ridley & Dendy, 190.
 veneta, O. Schmidt, 202.
Nabis cribraticollis, Stål, 113.
Nanina (Xesta) moluensis, E. A. Smith, 342, 352.
Nannolene, Bollm., 481.
 cubensis, Bollm., 481.
 dominicana, Pocock, 481.
Naucoris punctatissima, Kirby, 125.
Nauplius, 286.
Nemasomina, 480.
Nepa flavovenosa, Dohrn, 124.
 maculata, Fabr., 125.
 rubra, Linn., 124.
 rustica, Fabr., 124.
Nephila maculata, Fabr., 317.
Nepidæ, 124.
Neurobasis apicalis, Kirby, 558.
 chinensis, Linn., 545, 558.
Neuroptera Odonata (Dragonflies), Catalogue of the described, of Ceylon, with descriptions of New Species, by W. F. Kirby, 545.
Neurothemis ceylanica, Brauer, 550.
 equestris, Dru., 546.
 intermedia, Ramb., 550.
 tullia, Dru., 550.
Newportia, 454, 455, 457.
 dentata, 467.
 Ernstii, Pocock, 468.
 longitarsis, Neup., 466, 467, 469.
 longitarsis, Gerv., 466.
 longitarsis, Bollm., 466, 468.
 monticola, Pocock, 467.
 pusilla, Pocock, 468.
Nicidus fusconebulosus, Stål, 146.
Nogodina Greeni, Kirby, 158, 176.
Normostigmatina, 560.
Notiphilides, Latr., 470.
 Maximiliani, Humb. & Sauss., 473.
 Maximiliani, Latzel, 473.
Notiphilus Maximiliani, Humb. & Sauss., 473.
Notonecta abbreviata, Kirby, 126.
 indica, Fabr., 126.
 lutea, Müll., 125.
 simplex, Kirby, 125, 126.
 Templetonii, Kirby, 126.
Nysius ceylanicus, Motsch., 99.
 pallipennis, Walk., 99.
 subcinctus, Walk., 99.

- Oamaru Deposit, Monactinellid Sponges represented in the, 225.
- Obisium, 414-419, 422, 426, 429.
 carcinoides, 410.
 museorum, 410, 411.
 sylvaticum, 410, 429.
- Oculina, 353.
- Odonata (Dragonflies), Catalogue of the described Neuroptera, of Ceylon, with Descriptions of New Species, by W. F. Kirby, 545-566.
- Odontopeltis, 509.
 Couloni, *Humb. & Sauss.*, 513.
 formosus, *Pocock*, 517, 518, 544.
 magnus, *Bollm.*, 513.
 mammatus, *Pocock*, 518, 544.
 mauritii, *Brandt*, 513.
 morantus, *Karsch*, 513, 515, 517, 544.
 Sallei, *Sauss.*, 512.
 subterraneus, *Sauss.*, 512.
 verrucosus, *Pocock*, 516, 544.
 vincentii, *Pocock*, 514, 544.
- Odontopus Coqueberti, *Fabr.*, 103.
 lineatipes, *Stål*, 104.
 varicornis, *Fabr.*, 104.
- Oielus, *Simon*, 375, 396.
 Purvesii, *Becker*, 397.
- Omilurus rubescens, *Temp.*, 309.
- Onccephalus cingalensis, *Walk.*, 117.
 naboides, *Walk.*, 118.
- Oniscomorpha, 473.
- Onychargia atrocyana, *Selys*, 563.
- Onychocella angulosa, 274.
- Ophioglypha, 35.
- Ophiomusium, 35.
- Ophiopyrgus, 35.
 Wyville-Thomsoni, 35.
- Ophthalmicus einticornis, *Walk.*, 103.
 discifer, *Walk.*, 103.
 dispar, *Walk.*, 103.
- Opinus pyrreus, *Stål*, 115.
 rugicollis, *Walk.*, 115.
- Opisthacanthus, *Peters*, 375, 397.
 elatus, *Gerv.*, 397, 398.
Kinbergii, *Thor.*, 398.
- Opisthostoma, 342, 347.
 baritense, *E. A. Smith*, 347, 352.
 busauense, *E. A. Smith*, 348, 352.
 cristatum, *Smith*, *MSS.*, 347.
 Everetti, *E. A. Smith*, 346, 347, 352.
 grandispinosum, 342.
 Hosei, *Godw.-Austen*, 342.
 jueundum, *E. A. Smith*, 347, 352.
 mirabile, *E. A. Smith*, 342, 352.
 pulchellum, *Godw.-Austen*, 342.
 Wallacei, *Ancey*, 347, 252.
- Opistplatys indicus, *Walk.*, 117.
- Oribatida, 287.
- Ornithoctonus, 317.
 Andersoni, *Pocock*, 317, 318.
- Orocystis, ftnote 28.
- Orphnæus, *Meinert*, 469, 472.
 brasiliensis, *Meinert*, 473.
 brevilabiatus, *Newp.*, 472.
 lividus, *Meinert*, 473.
- Orthetrum cancellatum, 555.
 carnaticum, *Fabr.*, 555.
 glaucum, *Brauer*, 555.
 oblitum, *Ramb.*, 554, 566.
 pruinatum, *Burm.*, 554.
 sabina, *Drury*, 546, 554.
 tricolor, *Kirby*, 555.
- Orya xanti, *Tömös.*, 473.
- Orycystis, 50.
- Ossa, *Motsch.*, 72.
 dimidiata, *Motsch.*, 136.
- Otocryptops, 455, 457.
 ferrugineus, *Linn.*, 463, 465.
 melanostoma, *Newp.*, 464, 465.
 mexicanus, *Sauss.*, 466.
 sexspinosus, *Say*, 466.
- Otostigma, 319, 457.
 cormocephalinum, *Pocock*, 460.
 occidentale, *Meinert*, 461.
 Owenii, *Pocock*, 319.
 spiculiferum, *Pocock*, 461.
- Oxycarenus lætus, *Kirby*, 102.
 lavateræ, *auct.*, ? *Fabr.*, 102.
 lugubris, *Motsch.*, 102.
 tardus, *Hahn*, 102.
- Oxypleura subrufa, *Walk.*, 127.
- Oxyrhachis indicans, *Walk.*, 163.
 inermis, *Stål*, 163.
- Oxyurus mauritii, *Peters*, 513.
- Pachastrella, *O. Schmidt*, 231, 239, 243, 261.
 exostotica, *O. Schmidt*, 239.
 geodioides, *Carter*, 239.
 intexta, *Carter*, 232.
 parasitica, *Carter*, 232.
- Pachycoris curculionides, *Herr.-Schäff.*, 77.
- Pachymatisma contorta, *Bow.*, 238.
- Palæechinus sphaericus, 41, 42.
- Palannæus Petersii, *Thorell*, 316.
 spinifer, *Hempr. & Ehrb.*, 316.
- Palæmon appuni, *von Martens*, 408.
 faustinus, *Sauss.*, 408.
 jamaicensis, *Herbst*, 407.
 Olfersii, *Wieg.*, 408.
 Olfersii, *Ortm.*, 408.
 spinimanus, *Milne-Edw.*, 408.
- Pantala flavescens, *Fabr.*, 546, 547.
- Paradesmus, *Sauss.*, ftnote 508.
 coarctatus, *Humb. & Sauss.*, 512.
 vicarius, *Karsch*, 512.
- Paraiulinæ, 480.

- Paraiulus, 480.
 cæsar, *Bollm.*, 480.
 curiosus, *Bollm.*, 480.
 rasisis, *Karsch*, 508.
 Paratrachys hederæ, *Saund.*, 338.
 Pedipalpi, 316, 404.
 — of the West Indies, Supplement
 on the (Pocock), 527.
 Pediopsis apicalis, *Motsch.*, 171.
 nigromaculatus, *Motsch.*, 173.
 Peiratus biguttatus, *Dohrn*, 113.
 Pelonia corrugata, *Forb. & Goods.*,
 435.
 Pentacrinidæ, 25.
 Pentacrinus, 24, 61.
 Wyville-Thomsoni, *Jeffreys*, 64, 65.
 Pentactea, 37.
 Pentatoma ægyptiaca, *Lef.*, 88.
 contingens, *Walk.*, 84.
 corinna, *Kirby*, 84, 175.
 crossota, *Dall.*, 85.
 gutta, *Dall.*, 84.
 lemur, *Dohrn*, 84.
 taprobanensis, *Dall.*, 84, 175.
 trivialis, *Dohrn*, 83.
 Pentatomidæ, 74, 84.
 Penthimia melanocephala, *Motsch.*, 158.
 rufopunctata, *Motsch.*, 158.
 Peridinia, 364–366.
 Peripatoides, 519.
 novæ-zelandiæ, *Hutton*, 519.
 Peripatopsis, 519.
 capensis, *Grube*, 519.
 Peripatus, *Guilding*, 289, 518, 519, 522,
 525, 526.
 demeraranus, *Sedgw.*, 523.
 dominicæ, *Pollard*, 526.
 Edwardsii, *Blanch.*, 522, 523.
 Edwardsii, *Kennel*, 522.
 Edwardsii, *Sedgw.*, 520, 522, 526.
 Gossei, *Cocker.*, 525.
 Imthurni, 519, 522, 523.
 jamaicensis, *Grabb. & Cocker.*, 524,
 525.
 juliformis, *Guilding*, 519, 520, 522,
 523, 524.
 juliformis, *Aud. & Edw.*, 522.
 Swainsonæ, *Cocker.*, 525.
 torquatus, *Kennel*, 523, 525.
 trinidadensis, *Sedgw.*, 522, 523,
 524, 526, 542.
 Perophora Listeri, *Wieg.*, 434.
 Petalocephala, 171.
 conica, *Walk.*, 170.
 Petalocheirus brachialis, *Stål*, 117.
 malayus, *Stål*, 117.
 Phalænomorpha, 152.
 abdominalis, *Kirby*, 151, 176.
 Emersoniana, *Walk.*, 150, 151.
 erosipennis, *Stål*, 150.
 Phalænomorpha inconspicua, *Kirby*,
 150.
 Nietneri, *Stål*, 150.
 parva, *Kirby*, 151.
 Phalangidæ, 282.
 Phalangium palmatum, *Licht. & Herbst*,
 405.
 reniforme, *Linn.*, 404, 529.
 reniforme, *Pallas*, 405.
 reniforme, *Licht. & Herbst*, 405.
 Phallusia mammillata, 434.
 Phassus, 376.
 americanus, *Kraepelin*, 378.
 Phelloderma radiatum, *Ridley & Dendy*,
 191.
 Phenice, 144.
 mæsta, *Westw.*, 144, 145.
 punctativentris, *Kirby*, 144, 176.
 Pheronema, *Leidy*, 247, 249, 251, 252,
 262.
 Annæ, *Leidy*, 246, 251.
 Grayi, *Sav. Kent*, 251.
 Philænus hirsutus, *Kirby*, 160.
 spumarius, *Linn.*, 161.
 Phleodictyon, *Carter*, 189.
 birotuliferum, *Carter*, 188.
 Phronima deltotensis, *Kirby*, 155.
 inornata, *Walk.*, 155.
 marginella, *Oliv.*, 155.
 Phrynus, *Lam.*, 411, 429, 527, 529.
 fuscimanus, *Butler*, 405.
 Goesii, *Thor.*, 405.
 marginæ-maculatus, *Koch*, 405.
 Pallasi, *Blanch.*, 533.
 palmatus, *Ramon de la Sagra*,
 540.
 palmatus, *Butler*, 405.
 palmatus, *Koch*, 405.
 pumilio, *Koch*, 405.
 reniformis, *Butler*, 405.
 variegatus, *Butler*, 405.
 Phylactolæmata, 277.
 Phyllocephala ægyptiaca, *Lef.*, 88.
 Phyllyphanta acutipennis, *Kirby*, 156,
 157, 176.
 albopunctata, *Kirby*, 156, 176.
 dubia, *Kirby*, 157.
 productus, *Spin.*, 157.
 Phymatostetha inconspicua, *Butler*,
 159.
 insignis, *Dist.*, 159.
 Physomerus grossipes, *Fabr.*, 90.
 Physopelta gutta, *Burm.*, 105.
 Pione, 224.
 Pipa, ftnote 286.
 Pirates biguttatus, *Dohrn*, 113.
 cingalensis, *Dohrn*, 112.
 Cumingi, *Dohrn*, 112.
 fuscicornis, *Dohrn*, 112, 113.
 pictus, *Herr.-Schäff.*, 113.

- Pirates quadrinotatus*, *Fabr.*, 113.
rufifemur, *Walk.*, 112.
stigmativentris, *Kirby*, 112.
ypsilon, *Kirby*, 113, 175.
- Placolithis*, *Ehrenb.*, 236.
lacunosa, 237.
- Placosternum alces*, *Stål*, 88.
taurus, *Fabr.*, 88.
urus, *Stål*, 88.
- Plakina*, *Schulze*, 230, 243.
australis, *Hinde & Holmes*, 230,
 231, 260.
trilopha, *Schulze*, 231.
- Plataspis subænea*, *Hope*, 79.
- Platycnemis marginipes*, *Ramb.*, 569.
- Platyercinus*, 2.
symmetricus, 24.
- Platymeris tergemina*, *Burm.*, 114.
- Platymetopus arcuatus*, *Motsch.*, 173.
lineolatus, *Motsch.*, 173.
- Platypleura*, 156.
Kæmpferi, *Fabr.*, 156.
stellaris, 156.
Westwoodi, *Stål*, 127.
- Platyrrhachus*, *Koch*, 508.
luciae, *Pocock*, 511, 543, 544.
maculatus, *Bollm.*, 511.
- Platysticta apicalis*, *Kirby*, 561, 566.
digna, *Selys*, 562.
Greeni, *Kirby*, 561.
hilaris, *Selys*, 545, 562.
maculata, *Selys*, 546, 561, 562.
montana, *Selys*, 562.
tropica, *Selys*, 562.
- Plectostoma*, 347.
Wallacei, *Ancey*, 347.
- Pleurocystis*, 5, 12.
- Plinactus acicularis*, *Fabr.*, 92.
peltastes, *Stål*, 93.
- Plinthosella*, *Zittel*, 241.
- Plocamia*, *O. Schmidt*, dumb-bell skeletal spicules of, 186, 225, 226, 256.
 (*Dietyocylindrus*) *manaarensis*,
Carter, 186.
- Plocaria oculata*, *Reuter*, 123.
- Plociomerus*, 101, 102.
bengalensis, *Dall.*, 101.
bispinus, *Motsch.*, 102.
flavipes, *Motsch.*, 101.
geniculatus, *Motsch.*, 102.
incisus, *Walk.*, 101.
Nietneri, 101.
punctulatus, *Motsch.*, 101.
undulatus, *Dohrn*, 101.
- Pocillifera*, 356.
- Pocock*, R. I., Supplementary Notes on the Arachnida and Myriopoda of the Mergui Archipelago, with Descriptions of some New Species from Siam and Malaysia, 316.
- Pocock*, R. I., Contributions to our Knowledge of the Arthropod Fauna of the West Indies.—Part I. Scorpions and Pedipalpi, with a Supplementary Note upon the Freshwater Decapoda of St. Vincent, 374; Part II. Chilopoda, 454; Part III. Diplopoda and Malacopoda, with a Supplement on the Arachnida of the Class Pedipalpi, 473.
- Podops obscurus*, *Dall.*, 78.
- Pœcilonota bellula*, *Lewis*, 329, 338.
festiva, *Linn.*, 330.
rutilans, *Fabr.*, 329.
virgata, *Motsch.*, 330.
vivata, *Lewis*, 329, 338.
- Pœcilocsaltria octoguttata*, *Fabr.*, 127.
subrufa, *Walk.*, 127.
Woodwardi, *Stål*, 127.
- Pœcilioptera glauca*, *Kirby*, 154, 176.
pulverulenta, *Guérin*, 153.
punctifrons, *Walk.*, 152.
quadrata, *Kirby*, 154, 176.
stellaris, *Walk.*, 155.
Tennentina, *Walk.*, 153.
Tennentina, *Tennent*, 150.
tineoides, *Oliv.*, 154.
truncata, *Linn.*, 155.
- Polididus armatissimus*, *Stål*, 122.
- Polycarpa*, 446, 447.
aggregata, 444.
comata, *Ald.*, 433, 435, 436.
glomerata, *Ald.*, 435, 436, 444,
 446, 447, 448, 452-454.
pomaria, *Sav.*, 434, 435.
quadrangularis, *Forbes*, 434, 447,
 454.
rustica, 448, 453.
- Polydesmidæ*, 320, 508.
- Polydesmoidea*, 508.
- Polydesmus*, 510, 511, 513, 515, 517,
 518.
coarctatus, *Sauss.*, 512.
mauritian, *Peters*, 513.
Sallei, *Sauss.*, 512.
subterraneus, *Sauss.*, 512.
- Polymastia*, 195.
- Polyrhabdus oviformis*, *Schulze*, 245.
- Polyrrhachis*, *Smith*, 73, 122.
- Polystyelidæ*, 446.
- Polyxenidæ*, 474.
- Polyxenus*, 474.
lagurus, 474.
longisetis, 474, 542.
- Polyzoa*, 272.
- Polyzonidæ*, 479.
- Polyzonium germanicum*, 479.
- Pomponia elegans*, *Kirby*, 130.
Greeni, *Kirby*, 129, 176.

- Pomponia Ransonneti, *Dist.*, 129, 130.
 Porites, 354-358.
 Poritidæ, 353.
 Poritinæ, 354.
 Potamarcha obscura, *Ramb.*, 546, 553.
 Poteriocrinites, 47.
 Pourtalesia, 34.
 Prognaster, 44.
 Promachocrinus, 21.
 Promachus maculatus, *Loew?*, 551.
 Pronax, *Gray*, 224, 226, 260.
 (*Cliona*) lobata, *Hancock*, 224.
 Prostemma carduelis, *Dohrn*, 113.
 Proteleia, 257.
 Sollasi, *Ridley & Dendy*, 194.
 Proteocystis, 26, ftnote 28, 31, 50.
 Protoerinus, ftnote 28, 31, 50.
 oviformis, 4, 27.
 Prototracheata, 518.
 Protozoa, On the Structural Differentiation of the, as seen in Microscopic Sections, by J. E. S. Moore, 364.
 Prunocystis, 5, 13.
 Pselaphognatha, 474.
 Pseudococcus adonidum, *Nietn.*, 175.
 Pseudocrinus, 5, 7, 9, 11, 14, 21, 33.
 bifasciatus, 7, 10.
 magnificus, 7, 10.
 oblongus, 10.
 quadrifasciatus, 7, 10.
 Pseudobalichondria, *Carter*, 214, 215, 225, 259.
 clavilobata, *Carter*, 214.
 deformis, *Hinde & Holmes*, 214, 215, 259.
 Oamaruensis, *Hinde & Holmes*, 215, 259.
 Pseudophæa carissima, *Kirby*, 559, 566.
 —, var. viridissima, *Kirby*, 560.
 splendens, *Selys*, 545, 559.
 Pseudotelphusa dentata, *Latr.*, 407.
 tenuipes, *Pocock*, 407.
 Psilocnemis serapica, *Selys*, 561.
 Psolus, 36.
 Psylla oculata, *Motsch.*, 174.
 Psyllidæ, 174.
 Pterasteridæ, 27.
 Pterilia ceylonensis, *Stål*, 147.
 Pteroceras, 369, 370.
 Ptilomera cingalensis, *Stål*, 124.
 laticaudata, *Hardw.*, 124.
 Ptoleria arcuigera, *Stål*, 139.
 Ptosima chinensis, *Mars.*, 327.
 Ptyelus concolor, *Walk.*, 161.
 costalis, *Walk.*, 161.
 Pycanum ponderosum, *Stål*, 87.
 Pygolampis foeda, *Stål*, 118.
 Pyrocystis, 26, 28.
 desiderata, *Barrande*, 18, 25, 52.
 Pyrops affinis, *Westw.*, 133.
 Dohrni, *Stål*, 133.
 punctata, *Walk.*, 133.
 Pyrrhocoridae, 103.
 Pyrrhocoris gutta, *Burm.*, 105.
 Pyrua galeodes, 369.
 melongena, 369.
 tuba, 369.
 Pythonaster, 27, 32.
 Ranatra sordidula, *Dohrn*, 125.
 Rascelius Cumingi, *Dohrn*, 112.
 Raspailia, 256.
 tenuis, *Ridley & Dendy*, 184.
 Reduviidæ, 73, 111, 122.
 Reduvius collaris, *Fabr.*, 119.
 divisicollis, *Walk.*, 114.
 pilicornis, *Fabr.*, 119.
 quadrinotatus, *Fabr.*, 113.
 quinquespinosus, *Fabr.*, 114.
 (Harpactor) nigroruber, *Dohrn*, 120.
 (—) sordidepennis, *Dohrn*, 120.
 Reniera, *Nardo*, 183, 184, 225, 256.
 cratera, *Schmidt*, 184.
 Retepora, 275.
 cellulosa, *Linn.*, 272, 274, 275, 278.
 Rhabdocynthia papillosa, *Linn.*, 434.
 Rhacophorus, *C. Koch*, ftnote 509.
 Rhaphidistia spectabilis, 224.
 Rhaphigaster concinna, *Dall.*, 83.
 dorsalis, *Dohrn*, 85.
 flavescens, *Walk.*, 87.
 flavolineatus, *Hope*, 86.
 repellens, *Kirby*, 86, 175.
 sordida, *Kirby*, 86.
 viridulus, *Linn.*, 86.
 Rhax, On two new Species of, by H. M. Bernard, 361.
 annulata, *Simon*, 361-363.
 Howesii, *Bernard*, 362, 363.
 melanopyga, *Walter*, 363.
 nigrocincta, *Bernard*, 361-363.
 Rhinastria, *Kirby*, 159.
 bicolor, *Kirby*, 160, 176.
 Rhinoericus, *Karsch*, 474, 485, 486, 506.
 anguinus, *Pocock*, 488, 502, 505.
 arboreus, *Sauss.*, 486, 487, 493, 543.
 —, var. Gundlachi, *Karsch*, 494.
 —, var. Krugii, *Karsch*, 494.
 caudatus, *Newp.*, 494.
 Cockerellii, *Pocock*, 488, 505.
 consociatus, *Pocock*, 488, 500, 543.
 domingensis, *Sauss.*, 486, 495, 496.
 Duvernoyi, *Karsch*, 486, 496.
 excisus, *Karsch*, 486, 491, 492.
 flavo-cingulatus, *Karsch*, 503.
 Gossei, *Pocock*, 486, 489, 490, 543.

- Rhinocricus gracilipes*, *Karsch*, 487, 497.
grammostictus, *Pocock*, 488, 501, 505.
grenadensis, *Pocock*, 487, 498, 543.
haitensis, *Gerv.*, 486, 494, 496.
Heilprini, 500.
holomelanus, *Pocock*, 486, 492.
leptopus, *Pocock*, 487, 503.
leucostigma, *Pocock*, 474, 487, 500, 543.
macropus, *Pocock*, 474, 487, 493, 494, 543.
Maltzani, *Pocock*, 486, 495, 543.
mandevillei, *Pocock*, 486, 489, 490.
monilicornis, *Por.*, 487, 499, 500, 502, 503.
pareus, *Karsch*, 485, 486, 491.
politus, *Porath*, 486, 488, 489, 491.
Ramagei, *Pocock*, 486, 489, 490.
sabulosus, *Pocock*, 488, 504, 505, 543.
serpentinus, *Pocock*, 488, 501, 502, 503, 505, 543.
solitarius, *Pocock*, 487, 496, 543.
Townsendi, *Pocock*, 486, 505.
vincentii, *Pocock*, 474, 488, 503, 543.
- Rhizoecrinus*, *Sars*, 20, 24, 36.
lofotensis, footnote 68.
Rawsoni, footnote 68.
- Rhodoecrinites*, 47.
- Rhodoecrinus*, 3.
- Rhopalurus Hemprichii*, *Karsch*, 392.
- Rhopalus funeralis*, *Kirby*, 97, 175.
rubicundus, *Sign.*, 97.
- Rhyneconella*, 61.
- Rhyothemis lankana*, *Kirby*, 549.
obsolescens, *Kirby*, 549.
phyllis, *Sulz.*, 549.
triangularis, *Kirby*, 550.
variegata, *Joh.*, 546, 549.
- Rhyparochromus*, 101.
bengalensis, *Dall.*, 101.
brevis, *Motsch.*, 100.
crassiceps, *Dohrn*, 99.
fusconervosus, *Motsch.*, 100.
Greeni, *Kirby*, 100.
incisus, *Walk.*, 101.
leucoceras, *Walk.*, 99.
singalensis, *Dohrn*, 100.
sordidus, *Fabr.*, 100.
testaceipes, *Walk.*, 99.
- Rhysida*, 455, 457.
celeris, *Humb. & Sauss.*, 462.
longipes, *Newp.*, 462.
- Ricania*, 152.
angulatus, *Kirby*, 152.
fasciata, *Amyot*, 153.
fenestrata, *Fabr.*, 152.
Hemerobii, *Walk.*, 158.
- Ricania obscura*, *Fabr.*, 153.
speculum, *Walk.*, 152.
striatus, *Kirby*, 153.
tenebrosus, *Walk.*, 152.
- Rihirbus trochantericus*, *Stål*, 121.
- Sagenocrinus*, 2.
- Salmo fario*, hermaphrodite, 69.
- Samus*, 232.
anonyma, *Gray*, 243.
quadricolor, *Saund.*, 338.
- Sastrapada bipunctata*, *Walk.*, 118.
- Scadra annulicornis*, *Reuter*, 119.
cineticoornis, *Kirby*, 119.
fuscicrus, *Stål*, 118, 119.
- Scarpanta latipennis*, *Kirby*, 153, 176.
Tennentina, *Walk.*, 153, 154.
- Sceptrella*, 226.
regalis, *O. Schmidt*, 203, 216.
- Schizoporella linearis*, 274.
sanguinea, *Norm.*, 274, 275, 276, 278.
unicornis, 274.
- Sclerilla dura*, *Hansen*, 185.
- Scolopendra*, 455, 457, 459.
angulata, *Newp.*, 458, 459.
alternans, *Leach*, 458, 459.
complanata, 458.
crudelis, *Koch*, 458.
cubensis, *Sauss.*, 459.
de Haamii, *Brandt*, 319.
epileptica, *Wood*, 458.
ferruginea, *Linn.*, 463.
gigantea, *Linn.*, 458, 459.
gigas, *Leach*, 458.
Grayi, 458.
incerta, 458.
insignis, *Gerv.*, 458.
longipes, *Wood*, 458.
morsitans, *Linn.*, 459.
multispinata, *Newp.*, 458.
nitida, *Porath*, 458.
prasina, *C. Koch*, 458.
prasinipes, *Wood*, 458.
sagraea, *Gerv.*, 458.
subspinipes, *Leach*, 458, 459.
- Scolopendrella*, 289.
- Scolopendridæ*, 319, 455, 457.
- Scolopocryptops*, 455, 457.
antillarum, *Marsh*, 466.
bisulca, *Karsch*, 463.
ferrugineus, *Newp.*, 463.
longiceps, *Pocock*, 464.
longitarsis, *Newp.*, 466.
megacephalus, *Kohlr.*, 464.
Meinerti, *Pocock*, 463, 464.
melanos[t]oma, *Gerv.*, 464.
melanostoma, *Newp.*, 464.
mexicanus, *Humb. & Sauss.*, 463.
Miersii, *Newp.*, 465, 466.

- Scolopocryptops Miersii*, Meinert, 463.
rufa, Gerv., 463.
sexspinosa, Porath, 463.
Scomber Scomber, hermaphrodite, 70.
Scorpio, 411, 412, 418, 421, 422, 426, 427, 429.
americanus, Linn., 378.
australis, De Geer, 386.
bahiensis, Perty, 376.
Ehrenbergii, Gerv., 403.
elatus, Gerv., 398.
europæus, Linn., 378.
forcipula, Gerv., 378.
glaber, Gerv., 403.
gracilis, Latr., 386.
griseus, Fabr., 391.
Hemprichii, Gerv., 392.
juncus, Herbst, 392, 393.
lepturus, Pal. de Beauv., 398.
margaritatus, Gerv., 386.
obscurus, Gerv., 378.
testaceus, De Geer, 389.
 Scorpiones, 316.
 Scorpionidæ, 412.
Scutigera Guildingii, Newp., 456.
superba, Meinert, 456.
 Scutigeridæ, 455, 456.
Selenocephalus limbaticeps, Stål, 172.
Selenocosmia, 318.
javanensis, Walck., 317, 318.
 Seliza, 152.
bisecta, Kirby, 152, 176.
nigropunctata, Kirby, 152.
 Semperella, Gray, 249.
claviformis, Gray, 251.
 Seriatopora, 356.
Serinetha abdominalis, Fabr., 93.
augur, Fabr., 93.
coxalis, Kirby, 93.
Dallasi, Dohrn, 93.
taprobanensis, Dall., 93.
Sideroderma, Ridley & Dendy, 189.
Sinea hoplites, Dohrn, 123.
javanensis, Anyot & Serv., 123.
peltastes, Dohrn, 123.
 Siphonophora, 478.
artocarpi, Westw., 174.
cubana, Karsch, 478.
luteola, Gerv., 479.
mexicana, Sauss., 479.
portoricensis, Brandt, 478.
tenuicornis, Pocock, 479, 543.
 Siphonophoridæ, 478.
 Siphonotus, 474, 479.
purpureus, Karsch, 479, 543.
Sirthenes flavipes, Stål, 112.
Sitala baritensis, E. A. Smith, 343, 352.
moluensis, E. A. Smith, 343, 352.
raricostulata, E. A. Smith, 342, 352.
 Smith, E. A., Descriptions of new
 Species of Land-Shells from Borneo, 341.
Smittia bispinosa, 275.
nitida, var. *ophidiana*, Waters, 275, 278.
ophidiana, 276.
trispinosa, Johnst., 275, 278.
 Sparassidæ, footnote 529.
Sphærocystis, 5, 18, 21, footnote 28, 30, 50.
Sphæronis, 17, 18, 24, 26, footnote 28, 31, 50.
Spirastrella, O. Schmidt, 195, 223, 224, 226, 255, 257, 260.
congenera, 224.
cunctatrix, O. Schmidt, 223.
transitoria, Ridley, 193, 224.
vagabunda, 224.
 Spirastrellidæ, 226.
 Spirobolidæ, 484.
 Spirobolinæ, 484.
Spirobolus, Brandt, 484, 507.
acutus, Humb. & Sauss., 507.
Bungii, Brandt, 484.
caudatus, Newp., 508.
crassicornis, Humb. & Sauss., 507.
dominicæ, Pocock, 485.
excisus, Karsch, 492.
flavocinctus, Karsch, 507.
fundipudens, Karsch, 507.
haitiensis, Sauss., 495.
Heilprini, Bollm., 499.
miniatipus, Karsch, 508.
monilicornis, Porath, 499.
multif[er]us, Karsch, 485.
paraensis, Pocock, 500.
sanctæ-luciæ, Bollm., 485.
virescens, Daday, 499.
 Spirostomum, 365-368.
 Spirostreptidæ, 481.
Spirostreptinæ, Bollm., 481.
 Spirostreptus, 320, 506, 507.
abstemius, Karsch, 482, 484.
antillanus, Pocock, 483, 484, 507, 543.
aterrimus, Pocock, 320, 323.
baluensis, Pocock, 325, 326.
Bowringii, Pocock, 321, 322.
confragosus, Karsch, 507.
dominicanus, Pocock, 481.
dulitianus, Pocock, 325, 326.
Everettii, Pocock, 324, 325.
flavicornis, Karsch, 507.
Hosei, Pocock, 321, 323, 325.
javanica, Br., 323.
nitidus, Daday, 483, 484.
opinatus, Karsch, 320, 321, 322.
Patricii, Pocock, 322, 323.
perakensis, Pocock, 322.
sculpturatus, Karsch, 482, 484.

- Spirostreptus surinamensis*, *Brandt*, 507.
ventralis, *Porath*, 481, 484.
- Sponge-remains in the Lower Tertiary Strata near Oamaru, Otago, New Zealand, by Dr. G. J. Hinde and W. M. Holmes, 177.
- Sponge-remains, mineral and other conditions of the, 180.
- Staccia plebeia*, *Stål*, 118.
- Stacota breviceps*, *Walk.*, 134.
comptella, *Stål*, 134.
rufitarsis, *Kirby*, 134.
- Stelletta*, *O. Schmidt*, 194, 233, 234, 237, 238, 239, 243, 260, 261.
globostellata, *Carter*, 238, 239.
intermedia, *O. Schmidt*, 237.
pumex, *O. Schmidt*, 194.
reticulata, *Carter*, 234, 237.
Wagneri, *O. Schmidt*, 238.
 (Anthastra) *pyriformis*, *Sollas*, 234.
- Stemmiulidæ, 477.
- Stemmiulus*, 477.
bioculatus, *Gerv.*, 478.
ceylonicus, *Pocock*, 543.
compressus, *Karsch*, 478.
- Stenogaster lugubris*, *Motsch.*, 202.
- Stephanocrinus*, 18, 50, 51.
angulatus, 50.
Hammelli, 50.
Osgoodensis, 50.
- Stewart, Prof. Chas., On a Hermaphrodite Mackerel, *Scomber Scomber*, 70.
 —, On a Hermaphrodite Trout, *Salmo fario*, 69.
- Strachia cruciata*, *Fabr.*, 85.
fimbriata, *Fabr.*, 85.
geometrica, *Motsch.*, 85.
picta, *Fabr.*, 85.
subacta, *Walk.*, 85.
velata, *Walk.*, 85.
- Strobilocystis*, 5, 11, 47.
- Strongylosoma*, *Br.*, 508, 512, 514.
coaretatum, *Savuss.*, 512.
Poeyi, *Bollm.*, 512.
semirugosum, *Pocock*, 512.
setosum, *Pocock*, 320.
- Structural Differentiation of the Protozoa as seen in Microscopic Sections, On the, by J. E. S. Moore, 364.
- Styela*, 436.
aggregata, *O. F. Müller*, 434, 435.
aggregata, *Rath.*, 435.
informis, *Fabr.*, 434.
monoceros, *Müller*, 448, 449, 450, 454.
rustica, *Linn.*, 433, 444, 448, 449, 450, 453, 454.
- Styela*, sp.?, 436.
Styelinae, 441, 446.
Styelopsis, 446.
grossularia, *van Ben.*, 435, 444, 446.
Suberites, 193, 195.
senilis, *Ridley & Dendy*, 193, 257.
- Sycanus*, 120.
collaris, *Fabr.*, 119.
militaris, *Kirby*, 119.
reclinatus, *Dohrn*, 119.
- Sympetrum pedemontanum*, 555.
- Symplana*, *Kirby*, 136.
viridinervis, *Kirby*, 136, 176.
- Synapta digitata*, footnote 37.
- Tænia lineata*, 372.
- Tæniolinum*, *Pocock*, 469, 471.
setosum, *Pocock*, 471, 472.
- Tambinia debilis*, *Stål*, 149.
languida, *Stål*, 149.
rufo-ornata, *Stål*, 149.
- Tarantula*, *Fabr.*, 406, 527, 529.
barbadensis, *Pocock*, 528, 529, 531, 533, 539, 540, 541, 544.
Goësii, *Thorcell*, 534, 539, 542.
Keyserlingii, *Pocock*, 528, 539, 540, 541, 544.
latifrons, *Pocock*, 528, 537, 540, 544.
longipes, *Pocock*, 528, 536, 544.
marginemaculata, *C. Koch*, 541.
Pallasii, *Blanch.*, 528, 533, 536, 541, 544.
reniforme, *Fabr.*, 405.
reniformis, *Linn.*, 404, 406, 527, 531, 541.
reniformis, *Simon*, 405.
scabra, 540.
spinimana, *Pocock*, 528, 534, 544.
tessellata, *Pocock*, 528, 531, 541, 544.
viridiceps, *Pocock*, 527, 540, 541, 544.
- Tarantulidæ*, 404, 529.
- Tarantulinae*, 529.
- Taxocerinus*, footnote 20.
- Tectocoris perplexa*, *Hope*, 75.
- Tedania*, *Gray*, 189.
- Telegonus*, 402.
politus, *L. Koch*, 403.
versicolor, 402.
- Tesseractoma clara*, *Walk.*, 87.
cuprea, *Hope*, 87.
papillosum, *Drury*, 87.
- Tethea cranium*, 235.
- Tethya*, *Lam.*, 190, 238, 243, 261.
lyncurium, *Linn.*, 239.
- Tetracladine Lithistid Sponges, 241.
- Tetractinellid and Lithistid Sponges represented in the Oamaru Deposit, 243.

- Tetractinellidæ, *Marshall*, 183, 227, 243, 244.
- Tetragonurus, 293.
- Tetranychus, 280-284, 291.
- tiliarum, *Herm.*, 280, 283, 287, 291.
- Tetrathemis *Fruhstorferi*, *Karsch*, 556.
- Yerburii, *Kirby*, 556, 566.
- Tettigonia, *Linn.*, fnote 169.
- frontalis, *Kirby*, 169.
- gemina, *Walk.*, 169.
- 8-guttata, *Fabr.*, 127.
- paullula, *Walk.*, 169.
- pulchella, *Kirby*, 170, 176.
- pupula, *Kirby*, 169, 176.
- Tettigonidæ, 169.
- Thaunospongia, 241.
- Thamnotettix bipunctata, *Fabr.*, 173.
- fumosa, *Motsch.*, 173.
- nigrobimaculata, *Motsch.*, 173.
- nigromaculata, *Motsch.*, 173.
- nigropicta, *Stål*, 173.
- subrufa, *Motsch.*, 173.
- Thaumatoerinus, 3, 24.
- Thedelmus Falleni, *Stål*, 118.
- Thelphusa dentata, *Latr.*, 407.
- Thelyphonidæ, 404.
- Thelyphonus, 412.
- angustus, *Stoliczka*, 316, 317.
- antillanus, *C. Koch*, 404.
- formosus, *Butler*, 316, 317.
- insularis, *Oates*, 317.
- Thenea, 235, 260.
- (*Tisiphonia*) fenestrata, *O. Schmidt*, 235.
- Theonella, *Gray*, 241, 261.
- Theraphosæ, 318.
- Theraphosidæ, 317.
- Tholymis tillarga, *Fabr.*, 546, 547.
- Thomson, G. M., On the Occurrence of two Species of *Cumacea* in New Zealand, 263.
- Thoosa, *Hancock*, 221-223, 226, 260.
- bulbosa, *Hancock*, 222.
- cactoides, *Hancock*, 222.
- Hancocki, *Hinde & Holmes*, 222, 259.
- socialis, *Carter*, 222.
- Thracia, 144.
- ceylonica, *Kirby*, 143.
- cumulata, *Walk.*, 142.
- ephemeralis, *Walk.*, 143.
- lankana, *Kirby*, 143.
- obsoleta, *Kirby*, 144, 176.
- pterophoroides, *Westw.*, 142.
- Thylacium Normani, *Ald.*, 436.
- variegatum, *Ald.*, 436.
- Thyreocoris atomarium, *Germ.*, 79.
- septus, *Germ.*, 79.
- Thyreocoris sphaerula, *Germ.*, 78.
- Thyropoctus, *Pocock*, 485, 506.
- Townsendi, *Pocock*, 485, 506, 543.
- Tiarechinus, 38.
- Tiarodes elegans, *Stål*, 115.
- varicolor, *Stål*, 115.
- Tingididæ, 109.
- Tingis globulifera, *Walk.*, 110, 175.
- Tityus, *Koch*, 375, 376, 391.
- æthiops, *C. Koch*, 378.
- americanus, *Linn.*, 377, 378, 380, 384, 409.
- androcottoides, *Karsch*, 377, 378, 409.
- antillanus, *Thor.*, 377, 383, 384, 385.
- griseus, *C. Koch*, 391.
- insignis, *Pocock*, 377, 379, 409.
- lineatus, 376.
- longimanus, *C. Koch*, 378.
- melanostictus, *Pocock*, 377, 381, 382, 409.
- obtusus, *Karsch*, 377, 379, 380, 384, 385, 409.
- pictus, *Pocock*, 377, 382, 383, 384, 409.
- Smithii, *Pocock*, 377, 383, 384, 409.
- Tliponius cingalensis, *Stål*, 91.
- Tortrix, 139.
- Trachys auricollis, *Saund.*, 337, 338.
- cupricolor, *Saund.*, 338.
- elegantula, *Saund.*, 338.
- eximia, *Lewis*, 337, 338.
- griseofasciata, *Saund.*, 338.
- griseonigra, *Saund.*, 338.
- inconspicua, *Saund.*, 338.
- inedita, *Saund.*, 338.
- Lewisii, *Saund.*, 337, 338.
- robusta, *Saund.*, 338.
- Saundersi, *Lewis*, 337, 338.
- sub-bicornis, *Motsch.*, 337, 338.
- variolaris, *Saund.*, 338.
- Tramea africana, 548.
- Burmeisteri, *Kirby*, 548.
- erythraea, 548.
- extranea (*Hagen*), *Karsch*, 548.
- stylata, *Ramb.*, 546, 548.
- Tree- and Earth-worms, Studies of British, by Rev. H. Friend, 292.
- Trematocoris calcar, *Dall.*, 89.
- Trichocnemys serapica, *Selys*, 545.
- serapica, *Hagen*, 561.
- Trigoniulus, 485.
- Goësi, *Porath*, 485.
- Trigonosoma Baerensprungi, *Stål*, 77.
- confusum, *Kirby*, 77.
- Desfontainei, *Fabr.*, 77.
- falcatum, *Cyr.*, 78.
- Fischeri, *Herr.-Schäff.*, 77, 78.

- Triptolemus, *Sollas*, 232, 233, 243.
 australis, *Hinde & Holmes*, 232, 261.
 cladosus, *Sollas*, 232.
 parasiticus, *Carter*, 232.
 Trithemis *aurora*, *Burm.*, 546, 550.
 aurora, *Kirby*, 551.
 erythræa, *Brauer*, 548.
 festiva, *Ramb.*, 551, 555.
 intermedia, *Kirby*, 551.
 Kirbyi, *Selys*, 551.
 trivialis, *Ramb.*, 546, 550.
 Yerburii, *Kirby*, 551.
 Trochocystis, *Barrande*, ftnote 28.
 Trombidium *fuliginosum*, 290.
 Tropicostylus *fasciolatus*, *Stål*, 79.
 Trout, on a Hermaphrodite, *Salmo fario*, by Prof. Chas. Stewart, 69.
 Tunicata, Notes on British, by Prof. W. A. Herdman, 431.
 Turbinaria, 353-358.
 Turbinariidæ, 353.
 Turbinariinæ, 353.
 Turbinellidæ, 369.
 Typhlechinus, 42.
 sphæricus, ftnote 42.
 Typhlocyba *maculifrons*, *Motsch.*, 173.
 Uroplectes, 376.
 Uropygi, 404.
 Urothemis, 552.
 sanguinea, *Burm.*, 546, 552.
 vittata, *Kirby*, 552, 566.
 Valla *ciliata*, *Johnst.*, 313.
 Vanstone, J. H., Some Points in the Anatomy of *Melongena melongena*, 369.
 Verlusia *amæna*, *Hagen*, 546, 559.
 Verlusia *rhombea*, *Linn.*, 92.
 Vestalis *apicalis*, *Selys*, 546, 558.
 Vetulina, *O. Schmidt*, 240, 243, 244.
 Oamaruensis, *Hinde & Holmes*, 240, 261.
 stalactites, *O. Schmidt*, 240.
 Vomerula, *O. Schmidt*, 198.
 esperoides, *Ridley & Dendy*, 198.
 Waters, A. W., Observations on the Gland-like Bodies in the Bryozoa, 272.
 West Indies, Contributions to our Knowledge of the Arthropod Fauna of the.—Part I. Scorpiones and Pedipalpi, with a Supplementary Note upon the Freshwater Decapoda of St. Vincent, 374; Part II. Chilopoda, 454; Part III. Diplopoda and Malacopoda, with a Supplement on the Arachnida of the Class Pedipalpi, 473.
 Worms, Studies of British Tree- and Earth-, by Rev. H. Friend, 292.
 Xesta, 342.
 Xiphocaris *elongata*, *Guér.*, 408.
 intermedia, 408.
 Zangis *dorsalis*, *Dohrn*, 85, 175.
 virginea, *Stål*, 86.
 Zelus *armatissimus*, *Stål*, 122.
 Zephroniodesmus *sumatranus*, *Pocock*, 476.
 Zoobotryon *pellucidum*, ftnote 275.
 Zoroaster *fulgens*, ftnote 37.
 Zyxomma *petiolatum*, *Ramb.*, 545, 554.

END OF THE TWENTY-FOURTH VOLUME.